

Lori A. Weaver Commissioner

Patricia M. Tilley Director STATE OF NEW HAMPSHIRE DEPARTMENT OF HEALTH AND HUMAN SERVICES DIVISION OF PUBLIC HEALTH SERVICES BUREAU OF PUBLIC HEALTH STATISTICS AND INFORMATICS

> 29 HAZEN DRIVE, CONCORD, NH 03301 603-271-4988 1-800-852-3345 Ext. 4988 Fax: 603-271-8705 TDD Access: 1-800-735-2964 www.dhhs.nh.gov

Application for Access to New Hampshire PRAMS Data

Overview:

The Pregnancy Risk Assessment Monitoring System (PRAMS) is an ongoing populationbased surveillance system that collects information on maternal characteristics, behaviors, and experiences that occur several months prior to conception, during pregnancy, and immediately following delivery. New Hampshire began collecting data using the PRAMS survey in 2013. Each month approximately 1 out of 12 New Hampshire resident women who have had a live birth in the preceding 2-6 months are randomly sampled from birth certificate records. Out of state births to New Hampshire residents are included in the sampling in order to assure that the sample is representative of our New Hampshire resident population. Questions on the survey include core questions developed by the CDC which are used on surveys in all participating states as well as some state-specific questions. For more information on methods: <u>https://www.dhhs.nh.gov/programs-services/populationhealth/maternal-child-health/pregnancy-risk-assessment-monitoring</u>

New Hampshire PRAMS de-identified data are released under a process governed by state statute RSA 91-A: 10.

Application Requirements:

- Submission of completed Application for Access to New Hampshire PRAMS Data Form including variables and years of data requested.
- Upon notification of approval of request by the NH PRAMS PI, applicants will be required to sign the NH DHHS Data Sharing Agreement.

Section A: Individual and Organization Requestor Information

Contact Person's Name and Title (name of person who will receive the data):

Organization:

Address:

Telephone Number:

Fax Number:

E-mail Address:

Principal Investigator or Overall Responsible Party's Name and Title:

Principal Investigator or Overall Responsible Party's Telephone Number:

Application Date:

Section B: Summary of Research Study Protocol or Project Activities:

Please submit a copy of your research/study/project protocol. Use as much space as you need below to answer the questions. If you are not using this electronic document, attach a separate document with numbered answers.

- 1. Title of study or project:
- **2. Purpose of the study or project.** What is the hypothesis? How will this study benefit New Hampshire residents and/or contribute to general knowledge?
- **3. Requestor and Principal Investigator's professional qualifications and affiliation** *(briefly describe and attach resumes)*
- **4. Professional qualifications and affiliations of personnel.** Please describe all research and other staff who will have access to the confidential data. These include personnel, subcontractors, and affiliated agencies. *(briefly describe and attach resumes)*
- **5. Source of funds.** Please describe the source(s) and duration of all funding for the study (including in-kind contributions). Identification should include the name, address, and a contact number for the agency directly responsible for the funding, as well as identifying links to any umbrella organization.
- 6. Study background and design. Please address the following points. Please note, an attached protocol shall not serve as a replacement for providing answers to the questions below:
 - Summarize the background, purposes, and origin of the research. What is the general problem or issue to be addressed by the research?

- Based on the study goal(s) and design of the information to be collected, provide an outline of the study, topics of exploratory research or specific hypotheses to be tested, intended start and completion dates, and sampling or data collection methodology.
- Describe the study's case definition (demographics, medical criteria, geographic location, and other appropriate descriptions).
- 7. Datasets request time period. Please indicate the time period you require to retain the data for your project.

Years Required for Project

Note: if your study anticipates requesting records into the future, please indicate final year that will be requested.

- 8. Records requested. You shall also refer to and complete a variable/element list form (Section D.) for each dataset requested.
- 9. □Please indicate here if you intend to use PRAMS data linked to Vital Records data. Requests for Vital Records Data must be submitted separately through Health Statistics and Data Management: <u>https://www.dhhs.nh.gov/reports-regulations-statistics/datareports/data-requests</u>
- 10. Data will be provided in a password-protected encrypted file that will be uploaded to a secure site on the NH sFTP site. Please indicate how you would like to receive the data (delimited text file, MS Access, SPSS, SAS, etc.):
- 11. Data management and security. Please describe, in detail, the methods used to store the confidential data, how privacy and confidentiality of the data will be maintained, and how the data will be destroyed at the end of the project. Data Recipients will be required to return the accompanying form with notarized signatures confirming that the data has been destroyed at the end of the period that data is required for your project

Section C: Data Use Agreement

Please contact Bureau of Public Health Statistics and Informatics (<u>DHHS.HealthStatistic@dhhs.nh.gov</u>) for the New Hampshire DHHS Data Sharing Agreement (DSA). You will be asked to sign this document once your data request has been approved. By signing the DUA, you agree to the terms and conditions related to using protected health information for health related research purposes and any other terms the Vital Records Privacy Board for Health Related Research (Privacy Board) and the PRAMS Principal Investigator imposes as part of release of the data.

Section D. Variables Requested for:

PRAMS Phase 7 Survey-2013-2015 birth years PRAMS Phase 8 Survey- 2016, 2017, 2018, 2019, and after birth years

Q# refers to the corresponding survey question number for each survey phase. For copies of the NH PRAMS Survey with complete survey questions as well as information on years of data available visit the NH PRAMS Page: <u>https://www.dhhs.nh.gov/programs-services/population-health/maternal-child-health/pregnancy-risk-assessment-monitoring</u>

Codebooks for each survey phase are available online:

https://www.dhhs.nh.gov/reports-regulations-statistics/data-reports/data-requests

Please indicate years of data requested and check each variable requested for each survey phase in the tables below.

Note: There are separate variable tables for the Phase 7 and Phase 8 surveys.

Years of data requested:

Phase 7:	2013□	2014	2015□			
Phase 8:	2016 🗆	2017 🗆	2018 🗆	2019□	2020 🗆	2021 🗆

	PHASE 7 SURVEY VARIABLE LIST- for birth years 2013, 2014, 2015			
Selection	Phase 7 (2013-2015) Q#	Variable	Description	
	From 01, 02	MOM_BMIG_QX_REV	Moms Pre-pregnancy BMI	
	From 03	MAT_AGE_NAPHSIS	Maternal Age Group	
	04	PREV_LB	Previous live birth	
	05	PREV_LBW	Previous infant low birth weight	
	06	PREV_PRE	Previous infant premature	
	07a	PRE_DIET	Preconception dieting to lose weight	
	07b	PRE_EXER	Preconception physical activity 3x per week	
	07c	PRE_RX	Preconception taking prescription meds	
	07d	PRE_CKD	Preconception screened for diabetes	
	07e	PRE_CKBP	Preconception screened for high blood pressure	
	07f	PRE_DEPR	Preconception screened for depression/anxiety	
	07g	PRE_HIST	Preconception talked with HCW about family medical history	
	07h	PRE_DDS	Preconception had teeth cleaned	
	08a	INSWORK	Pre-pregnancy Insurance paid by job	
	08b	INSCOMP	Pre-pregnancy Insurance paid by purchase from company	
	08c	INSMED	Pre-pregnancy Insurance paid by Medicaid	

NH DHHS, Division of Public Health Services Application for Access to PRAMS Data for Health-related Research-12/5/2023

	PHASE 7 SURVEY VARIABLE LIST- for birth years 2013, 2014, 2015			
Selection	Phase 7 (2013-2015) Q#	Variable	Description	
	08d	INSGOV	Pre-pregnancy Insurance paid by state specific other government	
	08e	INSMIL	Pre-pregnancy Insurance paid by state specific TRICARE or military	
	08f	INSOTH	Pre-pregnancy Insurance paid by other	
	08g	INSTYPE	Pre-pregnancy Insurance paid by Other specified	
	08h	INSNONE	Pre-pregnancy Insurance paid by No insurance	
	From 8	INS_NUMB	The number of pre-pregnancy insurance options indicated by mother	
	09	VITAMIN	Preconception - vitamins or folic acid- # of times /wk	
	10	BPG_HLTH	Before pregnancy- advise about improving health	
	11a	BPG_DIAB	Before pregnancy-diagnosed with Type 1or 2 Diabetes	
	11b	BPG_HBP	Before pregnancy-diagnosed with Hypertension	
	11c	BPG_DEPRS	Before pregnancy- diagnosed with Depression	
	12	PGINTENT	Pregnancy intention	
	13	PGWAIT	Pregnancy when wanted	
	14	PREG_TRY	Pregnancy – trying	
	15	BC_WHEN4	Birth Control use when got pregnant	
	16a	NBC_MIND	No Birth Control didn't mind getting pregnant	
	16b	NBC_TIME	No Birth Control – though couldn't get pregnant at time	
	16c	NBC_SIDE	No Birth Control side effects	
	16d	NBC_GET	No Birth Control couldn't get	
	16e	NBC_STER	No Birth Control – thought husband/partner or self sterile	
	16f	NBC_HUSB	No Birth Control husband/partner didn't want	
	16g	NBC_MEM	No Birth Control – forgot to use	
	16h	NBC_OTH	No Birth Control other	
	16i	NBC_WHY	No Birth Control other specified	
	17a	PBC_PILL	Birth Control used when became pregnant pill	
	17b	PBC_COND	Birth Control used when became pregnant condoms	
	17c	PBC_SHT3	Birth Control used when became pregnant shots every 3 months	
	17d	PBC_IMPL	Birth Control used when became pregnant contraceptive implant	
	17e	PBC_PTRG	Birth Control used when became pregnant contraceptive patch/ring	
	17f	PBC_IUD	Birth Control used when became pregnant IUD	
	17g	PBC_RHYT	Birth Control used when became pregnantrhythm	
	17h	PBC_PULL	Birth Control used when became pregnant withdrawal	

	PHASE 7 SURVEY VARIABLE LIST- for birth years 2013, 2014, 2015			
Coloction	Phase 7 (2013-2015) Q#	Variable	Description	
Selection	Q# 17i	PBC OTH	Birth Control used when became pregnantother	
		PBC_UTH	Birth Control used when became pregnant other specified	
	17j 18	PNC_WKS	1st Prenatal Care visit –# weeks pregnant at first PNC visit	
	From 18	PNC_WKS	Started Prenatal Care in 1 st trimester	
	From 18	PNCNO	Did not have prenatal care	
	19	ERLY6PNC	Prenatal Care – as early as wanted	
	-			
	20a	EP6APPT	Prenatal Care not early as desired – unable to get appt.	
	20b	EP6MONY	Prenatal Care not early as desired no insurance or unable to pay	
	20c	EP6TRAN	Prenatal Care not early as desired no transportation	
	20d	EP6START	Prenatal Care not early as desired – MD or health plan would not start when desired	
	20e	EP6BUSY	Prenatal Care not early as desired too busy	
	20f	EP6LEAVE	Prenatal Care not early as desired no leave time work or school	
	20g	EP6MEDI	Prenatal Care not early as desired no Medicaid card	
	20h	EP6CHLD	Prenatal Care not early as desired no child care	
	20i	EP6PREG	Prenatal Care not early as desired didn't know I was pregnant	
	20j	EP6SECRT	Prenatal Care not early as desired – wanted to keep pregnancy secret	
	20k	EP6PNC	Prenatal Care not early as desired didn't want PNC	
	201	EP6PRVDR	Prenatal Care not early as desired couldn't find provider to take Medicaid or other insurance	
	21a	PP_WORK	During pregnancy-Insurance paid by job	
	21b	PP_COMP	During pregnancy-Insurance paid by purchase from company	
	21c	PP_MEDIC	During pregnancy-Insurance paid by Medicaid	
	21d	PP_GOV	During pregnancy-Insurance paid by state specific other government	
	21e	PP_MILIT	During pregnancy-Insurance paid by state specific TRICARE or military	
	21f	PP_OTH	During pregnancy-Insurance paid by other	
	21g	 PP_TYPE	During pregnancy-Insurance paid by Other specified	
	21h	 PP_NONE	During pregnancy-Insurance paid by No insurance	
	From 21	PP_NUMB	The number of prenatal care health insurance options indicated by the mother	
	22a	TLK_WT	During prenatal visit-HCW talked about – amt. weight to gain	
	22b	TLK_SMK	During prenatal visit-HCW talked – about effect of smoking	
	22c	TLK_BF	During prenatal visit-HCW talked -breastfeeding	

	PHASE 7 SURVEY VARIABLE LIST- for birth years 2013, 2014, 2015			
	Phase 7 (2013-2015)			
Selection	Q#	Variable	Description	
	22d	TLK_DRK	During prenatal visit-HCW talked – about effect of drinking alcohol	
	22e	TLK_BELT	During prenatal visit-HCW talked – about seatbelt use	
	22f	TLK_MEDS	During prenatal visit-HCW talked – about safe meds in pregnancy	
	22g	TLK_DRUG	During prenatal visit-HCW talked – about effect of illegal drugs	
	22h	TLK_BDEF	During prenatal visit-HCW talked – about birth defects tests	
	22i	TLK_PRET	During prenatal visit-HCW talked – about preterm labor signs	
	22j	TLK_HIVT	During prenatal visit-HCW talked about testing for HIV	
	22k	TLK_DPRS	During prenatal visit-HCW talked – about depression	
	221	TLK_ABUS	During prenatal visit-HCW talked – about physical abuse	
	23	HIVTEST	HIV test had during pregnancy	
	24	FLUSHOT	Flu vaccine recommendation from health care workers	
	25	FLUPREG	Flu vaccine – received during 12 months before delivery	
	26a	FLU_MTH	Flu shot – what month received	
	26b	FLU_YR4	Flu shot – year received	
	From 26	FLUTRIM	Trimester Flu shot received	
	27a	DDS_CARE	Knew important to care for teeth/gums in pregnancy	
	27b	DDS_TALK	Dentist or HCW – talked about how to care for teeth	
	27c	DDS_CLN	Had teeth cleaned during pregnancy	
	27d	DDS_INS	Had dental insurance during pregnancy	
	27e	DDS_PROB	Needed to see dentist for problem during pregnancy	
	27f	DDSWENT	Went to see dentist for problem during pregnancy	
	28	PGS_BIRT	Childbirth classes to prepare for birth	
	29	VST_PREP	Home visitor to help prepare for baby during pregnancy	
	30	WIC_PREG	WIC – during pregnancy	
	31	PG_GDB	Gestational diabetes - this pregnancy	
	32	SMK2YRS	Smoked >=1 cigs last 2 yrs	
	33	SMK6_3B	Smoked during 3 months before pregnancy, # cigs/day (of those who smoked in last 2 years)	
	From 32&33	SMK63B_A	Indicator of whether mother smoked at all during 3 months before pregnancy	
	34	SMK6_3L	Smoked during last 3 months of pregnancy, # cigs/day (of those who smoked in last 2 years)	
	From 32&34	SMK63L_A	Number/percent of respondents who smoked in the last 3 months of pregnancy, <u>out of all respondents</u>	
	35	SMK6_3N	Smoke now, # cigs/day(of those who smoked in last 2 years)	
		·		

	PHASE 7 SURVEY VARIABLE LIST- for birth years 2013, 2014, 2015			
Selection	Phase 7 (2013-2015) Q#	Variable	Description	
	From 32&35	SMK6NW_A	Indicator for whether mother smokes at all at the current time (time of completing survey, 2-6 months postpartum), <u>of all</u> respondents	
	From 33,34	SMK6C_PG	Variable comparing smoking levels 3 months before pregnancy to the last 3 months of pregnancy	
	From 33,35	SMK6C_PP	Variable comparing smoking levels 3 months before pregnancy to current time	
	From 34,35	SMK6C_NW	Variable comparing smoking levels during the last 3 months of pregnancy to the current time	
	36	DRK_2YRS	Drank alcohol during last 2 years	
	37	DRK6_3B	Drank alcohol during 3 months before pregnancy, # drinks/wk, of those who drank in the last 2 years (36)	
	From 36&37	DRK63B_A	Indicator for whether the mother drank at all during the 3 months before pregnancy, <u>out of all respondents</u>	
	38	DRK6_3L	Drank alcohol during last 3 months of pregnancy,# drinks/wk, of those who drank in the last 2 years	
	From 36&38	DRK63L_A	Indicator for whether the mother drank at all during the last 3 months of pregnancy, <u>out of all respondents</u>	
	From 37,38	DRK6C_PG	Variable comparing drinking levels 3 months before pregnancy to the last 3 months of pregnancy	
	39a	STRS_FM3	Stress 12 months before delivery family member ill	
	39b	STRS_DV3	Stress 12 months before delivery divorce	
	39c	STRS_MOV	Stress 12 months before delivery moved	
	39d	STRSHOME	Stress 12 months before delivery homeless	
	39e	STRS_JOB	Stress 12 months before delivery husband/partner lost job	
	39f	STRS_WRK	Stress 12 months before delivery mom lost job	
	39g	STRS_PAY	Stress 12 months before delivery husband/partner/self- reduction in work/pay	
	39h	STRS_AWY	Stress 12 months before delivery apart from husband/partner- work related	
	39i	STRS_ARG	Stress 12 months before delivery – frequent arguing with husband /partner	
	39j	STRS_PG	Stress 12 months before delivery husband/partner did not want pregnancy	
	39k	STRS_BIL	Stress 12 months before delivery couldn't pay bills	
	391	STRS_JL3	Stress 12 months before delivery husband/partner/self in jail	
	39m	STRS_DRG	Stress 12 months before delivery – close others had problems with drugs	
	39n	STRS_DH3	Stress 12 months before delivery – close other died	
	From 39	STRS_TT3	Number of stressors indicated by mother	

	PHASE 7 SURVEY VARIABLE LIST- for birth years 2013, 2014, 2015			
Selection	Phase 7 (2013-2015) Q#	Variable	Description	
	From 39	STRS_T_G	Number of stressors indicated by mother, grouped into categories	
	40	PAB6HUS	Abuse 12 months before pregnancy, husband/partner	
	41	PAD6HUS	Abuse during pregnancy, husband/partner	
	From 42	YY_DOB	Year infant born	
	43	INDUCE	Labor induced	
	44a	IND_INF	Reason induced water broke	
	44b	IND_DUE	Reason induced past due date	
	44c	IND_SIZE	Reason induced baby size	
	44d	IND_BBY	Reason induced baby not well	
	44e	IND_COMP	Reason induced complication	
	44f	IND_LABR	Reason induced labor stopped/not progressing	
	44g	IND_PLAN	Reason induced plan my delivery	
	44h	IND_DOC	Reason induced specific provider	
	44i	IND_OTH	Reason induced other reason	
	44j	IND_WHY	Reason induced other specified	
	45a	PGWT_GNU	Unit of pregnancy weight gain/lost	
	45b	PGWT_GN	Pregnancy weight gain/lost	
	46	INF_ICU	Infant in ICU at birth	
	47	LTH_HOSP	Hospital baby stay length of time	
	48	INFLIVE5	Infant alive now	
	49	INFWMOM5	Infant living with mom	
	50	BF5EVER	Breastfed ever	
	51	BF5STILL	Breastfeeding still	
	52a	BF5LNGTU	Breastfeeding duration – wks./months	
	52b	BF5LNGTH	Breastfeeding duration length of time	
	From 52a,b	BF5WEEKS	Length of breastfeeding in weeks; at time mom completes survey	
	53a	BFC5DIFF	Breastfeeding continuation barriers difficulty latching	
	53b	BFC5SAT	Breastfeeding continuation barriers milk didn't satisfy	
	53c	BFC5WT	Breastfeeding continuation barriers—baby not gaining weight	
	53d	BFC5SORE	Breastfeeding continuation barriers nipples sore	
	53e	BFC6HARD	Breastfeeding continuation barriers Too hard, painful, time consuming	
	53f	BFC5MILK	Breastfeeding continuation barriers not producing enough milk	
	53g	BFC5HOME	Breastfeeding continuation barriers –too many household duties	

	PHASE 7 SURVEY VARIABLE LIST- for birth years 2013, 2014, 2015			
Selection	Phase 7 (2013-2015) Q#	Variable	Description	
	53h	BFC5STOP	Breastfeeding continuation barriers right time to stop	
	53i	BFC5ILLM	Breastfeeding continuation barriers mom sick	
	53j	BFC5WORK	Breastfeeding continuation barriers – return to work/school	
	53k	BFC5JAUN	Breastfeeding continuation barriers –baby jaundiced	
	531	BFC5OTH	Breastfeeding continuation barriers other	
	53m	BFC5WHY	Breastfeeding continuation barriers other specified	
	54a	BFH6INFO	Breastfeeding experiences in hospital staff gave info	
	54b	BFH6ROOM	Breastfeeding experiences in hospital – baby stayed in hospital room	
	54c	BFH6HELP	Breastfeeding experiences in hospital staff helped learn	
	54d	BFH6HOUR	Breastfeeding experiences in hospital fed in 1st hour	
	54e	BFH6BFED	Breastfeeding experiences in hospital baby fed in hospital	
	54f	BFH6ONLY	Breastfeeding experiences in hospital fed only breast milk	
	54g	BFH6WHEN	Breastfeeding experiences in hospital – staff told mom to feed on demand	
	54h	BFH6PUMP	Breastfeeding experiences in hospital – staff gave breast pump	
	54i	BFH6GIFT	Breastfeeding experiences in hospital –Staff gave gift pack w/ formula	
	54j	BFH6FONE	Breastfeeding experiences in hospital help phone #	
	54k	BFH7PACI	Breastfeeding experiences in hospital staff gave baby pacifier	
	55a	PP_BF	Postpartum HCW talked about info about breastfeeding	
	55b	PP_PREG	Postpartum HCW talked about – how long to wait before getting pregnant again	
	55c	PP_BC	Postpartum HCW talked about – birth control methods	
	55d	PP_DEPRS	Postpartum HCW talked about – postpartum depression	
	55e	PP_SUPRT	Postpartum HCW talked about support groups	
	55f	PP_RES	Postpartum HCW talked about – community resources	
	55g	PP_WT	Postpartum HCW talked about – returning to and maintaining healthy weight	
	55h	PP_SHAKE	Postpartum HCW talked about –what happens if baby shaken	
	55i	PP_QUIET	Postpartum HCW talked about – how to quiet baby	
	55j	PP_HURT	Postpartum HCW talked about – if someone is hurting you	
	56	SLEEPPOS	Sleeping position baby	
	57	VST_CARE	Health worker visit to help care for self/baby	
	58	BC_NOW4	Postpartum birth control using now	
	59a	BCB_NSEX	Postpartum reasons for no birth control abstinence	
	59b	BCB_PREG	Postpartum reasons for no birth control want to get pregnant	
	59c	BCB_WANT	Postpartum reasons for no birth control didn't want to use	

	PHASE 7 SURVEY VARIABLE LIST- for birth years 2013, 2014, 2015			
Selection	Phase 7 (2013-2015) Q#	Variable	Description	
	59d	BCB_SIDE	Postpartum reasons for no birth control –concern side effects	
	59e	BCB_HUSB	Postpartum reasons for no birth control husband/partner didn't want to use	
	59f	BCB_PROB	Postpartum reasons for no birth control problems getting when needed	
	59g	BCB_TUBE	Postpartum reasons for no birth control tubes tied/blocked	
	59h	BCB_VASE	Postpartum reasons for no birth control husband/partner vasectomy	
	59i	BCB_PNOW	Postpartum reasons for no birth control pregnant now	
	59j	BCB_OTH	Postpartum reasons for no birth control other	
	59k	BCB_WHAT	Postpartum reasons for no birth control other specified	
	60a	BCP_TUBE	Birth control postpartum tubes tied	
	60b	BCP_VASE	Birth control postpartum vasectomy	
	60c	BCP_PILL	Birth control postpartum pill	
	60d	BCP_COND	Birth control postpartum condoms	
	60e	BCP_SHT3	Birth control postpartum shots every 3 months	
	60f	BCP_IMPL	Birth control postpartum contraceptive implant	
	60g	BCP_PTRG	Birth control postpartum contraceptive patch/ring	
	60h	BCP_IUD	Birth control postpartum IUD	
	60i	BCP_RHYT	Birth control postpartum rhythm	
	60j	BCP_PULL	Birth control postpartum withdrawal	
	60k	BCP_NSEX	Birth control postpartum abstinence	
	601	BCP_OTH	Birth control postpartum method other	
	60m	BCP_WHAT	Birth control postpartum method other specified	
	61	РРV_СНК	Postpartum checkup for self	
	62	MH_PPDPR	Depression since birth	
	63	MH_PPINT	No interest in usual activities since birth	
	From 62,63	PP_DEPRESS	Summary measure of postpartum depression-answered "always" or "often" to Q62 or Q63	
	64a	HI_WORK	Postpartum insurance paid by job	
	64b	HI_COMP	Postpartum insurance paid by purchase from company	
	64c	HI_MEDIC	Postpartum insurance paid by Medicaid	
	64d	HI_GOV	Postpartum insurance paid by state specific other government	
	64e	HI_MILIT	Postpartum insurance paid by state specific TRICARE or military	
	64f	ні_отн	Postpartum insurance paid by other	
	64g	HI_TYPE	Postpartum insurance paid by other specified	
	64h	HI_NONE	Postpartum insurance paid by no insurance	

	PHASE 7 SURVEY VARIABLE LIST- for birth years 2013, 2014, 2015				
Selection	Phase 7 (2013-2015) Q#	Variable	Description		
	65	HS_WATER	Get house tap water from private system		
	66	HS_WTRTST	12 months before delivery provider recommendedtest household water for arsenic		
	67	WELLTST	Had well tested for arsenic during 12 months before delivery		
	68a	SMKA_STP	Among smokers—advice during prenatal care visits how to quit		
	68b	SMKA_DAT	Among smokers—advice during prenatal care visits – set date to quit		
	68c	SMKA_CLS	Among smokers—advice during prenatal care visits suggest class		
	68d	SMKA_BK	Among smokers—advice during prenatal care visits – provided booklets/videos		
	68e	SMKA_HLP	Among smokers—advice during prenatal care visits – refer to counseling		
	68f	SMKA_FAM	Among smokers—advice during prenatal care visits – ask about family support		
	68g	SMKA_CAL	Among smokers—advice during prenatal care visits refer to quit line		
	68h	SMKA_GUM	Among smokers—advice during prenatal care visits use nicotine gum		
	68i	SMKA_PAT	Among smokers—advice during prenatal care visits use nicotine patch		
	68j	SMKA_SPY	Among smokers—advice during prenatal care visits use spray/inhaler		
	68k	SMKA_PIL	Among smokers—advice during prenatal care visits use pill		
	69a	SAF_BCPR	Safety I know baby CPR		
	69b	SAF_SMOK	Safety home has working smoke alarm		
	69c	SAF_MTRL	Safety always keeps supplies out of reach		
	69d	SAF_RFST	Safety baby rides in rear-facing seat		
	69e	SAF_PSN	Safety poison Control number accessible		
	69f	SAF_CMAL	Safety home has carbon monoxide alarm		
	69g	SAF_BWTR	Safety new baby always supervised around water		
	69h	SFT_FRARM	Safety loaded firearms in home		
	69i	SFT_STBLT	Safety seatbelt used during pregnancy		
	70	SLPWBBY	Sleep someone with baby		
	71	TXT_MESG	Send/receive text on cell phone		
	72a	INF_ITRNT	Source for pregnancy info Internet		
	72b	INF_TEXT	Source for pregnancy info Text messages		
	72c	INF_EMAIL	Source for pregnancy info Email		

	PHASE 7 SURVEY VARIABLE LIST- for birth years 2013, 2014, 2015			
Selection	Phase 7 (2013-2015) Q#	Variable	Description	
	72d	INF_TWITR	Source for pregnancy info Twitter	
	72e	INF_FB	Source for pregnancy info Facebook	
	72f	INF_FORUM	Source for pregnancy info Online discussion forum	
	72g	INF_F2F	Source for pregnancy info Face to face	
	72h	INF_MAG	Source for pregnancy info Magazine	
	72i	INF_PAPER	Source for pregnancy info Newspaper	
	72j	INF_BOOK	Source for pregnancy info Book	
	72k	INF_RADIO	Source for pregnancy info Radio	
	721	INF_VIDEO	Source for pregnancy info Video	
	72m	INF_OTH	Source for pregnancy info Other sources	
	72n	INF_WHAT	Source for pregnancy info Other sources specified	
	73	INCOME7	Income 12 months before delivery, total income	
	74	INC_NDEP	Income—number depending on income 12 month before	
		INFQ_AGE	Age of infant at time questionnaire completed, in days	

PHASE 8 PRAMS SURVEY VARIABLE LIST-for birth years 2016+				
Selection	Phase 8 (2016+)Q#	Variable	Description	
	From 01, 02	MOM_BMIG_QX_REV	Moms Pre-pregnancy BMI	
	From 03	MAT_AGE_NAPHSIS	Maternal Age Group	
	04	BPG_DIAB8	Health problem – Diabetes before pregnancy	
	04b	BPG_HBP8	Health problem – High blood pressure before pregnancy	
	04c	BPG_DEPRS8	Health problem – Depression before pregnancy	
	05	VITAMIN	Multivitamin # of times /wk., month before pregnancy	
	06	PRE_VIST	Pre pregnancyhealth care visit	
	07a	TYP_DOCT	Pre pregnancyHealth care typecheckup with family Dr.	
	07b	TYP_OBGN	Pre pregnancyHealth care typecheckup with my OB/GYN	
	07c	TYP_ILLN	Pre pregnancyHealth care typevisit for illness	
	07d	TYP_INJR	Pre pregnancyHealth care typevisit for injury	
	07e	TYP_BC	Pre pregnancyHealth care typevisit for family planning/birth control	
	07f	TYP_MH	Pre pregnancyHealth care typevisit for depression or anxiety	
	07g	TYP_DDS	Pre pregnancyHealth care typevisit with dentist	
	07h	TYP_OTHR	Pre pregnancyHealth care typeother	
	07i	TYP_WHAT	Pre pregnancyHealth care typeother specified	
	08a	PRE_VIT	Pre-pregnancy – provider advised taking folic acid	
	08b	PRE_WT	Pre-pregnancy – provider talked about healthy weight	
	08c	PRE_MORB	Pre-pregnancy- provider talked about -control med conditions	
	08d	PRE_KIDS	Pre-pregnancy provider asked- want to have kids	
	08e	PRE_PRBC	Pre-pregnancy provider talked about birth control to prevent pregnancy	
	08f	PRE_HLTH	Pre-pregnancy provider talked about how to improve health before pregnancy	
	08g	PRE_STI	Pre-pregnancy – provider talked about STIs	
	08h	PRE_SMK	Pre-pregnancy –provider asked if smoking	
	08i	PRE_ABUS	Pre-pregnancy –provider asked if -hurt emotional/physical	
	08j	PRE_MHDP	Pre-pregnancy –provider asked if feeling down/depressed	
	08k	PRE_WORK	Pre-pregnancy – provider asked about kind of work	
	081	PRE_HIVT	Pre-pregnancy tested for HIV	
	09a	INSWORK8	Pre-pregnancy-Insurance paid by job	
	09b	INSPAR	Pre-pregnancy-Insurance paid by parent	
	09c	INSHCEX	Pre-pregnancy-Insurance paid by Health Care Exchange	
	09d	INSMED	Pre-pregnancy-Insurance paid by Medicaid	

	PHASE 8 PRAMS SURVEY VARIABLE LIST-for birth years 2016+			
Selection	Phase 8 (2016+)Q#	Variable	Description	
	09e	INSGOV	Pre-pregnancy-Insurance paid by <state other="" specific="" state<br="">plan></state>	
	09f	INSMIL	Pre-pregnancy-Insurance paid by <state military="" or="" specific="" tricare=""></state>	
	09g	INSOTH	Pre-pregnancy-Insurance paid by other	
	09h	INSTYPE	Pre-pregnancy-Insurance paid by Other specified	
	09i	INSNONE	Pre-pregnancy-Insurance paid by No insurance	
	From 9	INSNUMB	The number of pre-pregnancy health insurance options indicated by the mother	
	10a	PP8_NOPNC	During pregnancy – didn't have any PNC	
	10b	PP8_WORK	During pregnancy-Insurance paid by job	
	10c	PP8_PAR	During pregnancy-Insurance paid by parent	
	10d	PP8_HCEX	During pregnancy-Insurance paid by Health Care Exchange	
	10e	PP_MEDIC	During pregnancy-Insurance paid by Medicaid	
	10f	PP_GOV	During pregnancy-Insurance paid by <state other="" plan="" specific="" state=""></state>	
	10g	PP_MILIT	During pregnancy-Insurance paid by <state military="" or="" specific="" tricare=""></state>	
	10h	PP_OTH	During pregnancy-Insurance paid by other	
	10i	PP_TYPE	During pregnancy-Insurance paid by Other specified	
	10j	PP_NONE	During pregnancy-Insurance paid by No insurance	
	From 10	PP_NUMB	The number of prenatal care health insurance options indicated by the mother	
	11a	HI_WORK8	Postpartum-Insurance paid by job	
	11b	HI_PAR	Postpartum-Insurance paid by parent	
	11c	HI_HCEX	Postpartum-Insurance paid by Health Care Exchange	
	11d	HI_MEDIC	Postpartum-Insurance paid by Medicaid	
	11e	HI_GOV	Postpartum-Insurance paid by <state government="" other="" specific=""></state>	
	11f	HI_MILIT	Postpartum -Insurance paid by <state military="" or="" specific="" tricare=""></state>	
	11g	ні_отн	Postpartum-Insurance paid by other	
	11h	HI_TYPE	Postpartum-Insurance paid by Other specified	
	11i	HI_NONE	Postpartum-Insurance paid by No insurance	
	12	PGINTENT	Pregnancy intention	
	13a	PNC_1STU	1st Prenatal Care visit weeks/months	
	From 13a	PNC_WKS	Number of weeks pregnant at time of first visit for prenatal care-conversion made from weeks and months(PNC_1STU)	
	13b	PNC_1ST	1st PNC visit number	
	From 13	PNC_1TRM	Started prenatal care in 1 st trimester	

	PHASE 8 PRAMS SURVEY VARIABLE LIST-for birth years 2016+			
Selection	Phase 8 (2016+)Q#	Variable	Description	
	From 13	PNCNO	Did not have prenatal care	
	14a	TLK_WT	During PNC visit HCW ask – if knew how much weight should gain	
	14b	ASK_MEDS	During PNC visit Health Care Worker ask – if taking prescription meds	
	14c	TLK_CIGS	During PNC visit HCW ask if smoking cigs	
	14d	TLK_ETOH	During PNC visit HCW ask if drinking alcohol	
	14e	ASK_ABUS	During PNC visit HCW ask – if hurt emotional/physical	
	14f	ASK_DPRS	During PNC visit HCW ask if down/depressed	
	14g	ASK_DRUG	During PNC visit HCW ask – if using drugs	
	14h	ASK_HIVT	During PNC visit HCW ask – if want HIV test	
	14i	 ASK_BF	During PNC visit HCW ask – if plan to breastfeed	
	14j	ASK_PPBC	During PNC visit HCW ask – if plan to use birth control postpartum	
	15	FLUSHOT	Flu vaccine – offer or advice to get from care workers	
	16	FLUPREG	Flu vaccine – received 12 months before delivery	
	17	PG_TDAP8	Receive Tdap vaccination	
	18	DDS_CLN	DDS – had teeth cleaned during pregnancy	
	19a	DDS_CARE	DDS –mom knew important to care for teeth/gums	
	19b	DDS_TALK	DDS dental talk about how to care for teeth/gums	
	19c	DDS_INS	DDS –had dental insurance	
	19d	DDS_PROB	DDS needed to see dentist for problem	
	19e	DDSWENT	DDS went to dentist for problem	
	20a	DDS_CAV	DDS – had cavities	
	20b	DDS_GUM	DDS painful, red, swollen gums	
	20c	 DDS_ACHE	DDS – had toothache	
	20d	DDS_PULL	DDS – had tooth pulled	
	20e	 DDS_INJ	DDS – had injury to mouth, teeth, gums	
	20f	 DDS_OTH	DDS – other dental problems	
	20g	 DDS_WHAT	DDS other specified	
	21a	DDS_ACPT8	DDS – barriers- hard to find dentist/clinic taking preg patients	
	21b	DDS_MEDI8	DDS barriers- hard to find dentist/clinic taking Medicaid patients	
	21c	DDS_SAFE8	DDS – barriers-didn't think it was safe to go to dentist during pregnancy	
	21d	DDS_COST8	DDS – barriers-couldn't afford to go	
	22	 WIC_PREG	WIC—enrolled during pregnancy	
	23a	PG_GDB8	Health problem during pregnancy Diabetes	
	23b	MORB_BP8	Health problem during pregnancy – High Blood Pressure	

	PHASE 8 PRAMS SURVEY VARIABLE LIST-for birth years 2016+			
Selection	Phase 8 (2016+)Q#	Variable	Description	
	23c	MH_PGDX8	Health problem during pregnancy Depression	
	23d	PG8_LYME	Health problem during pregnancy – Lyme disease	
	24	MH_PGHP8	MH – Asked for help for depression during pregnancy	
	25	PREMSHOT	Weekly shots 17P	
	26	SMK2YRS	SMK >=1 cigs last 2 yrs.	
	27	SMK6_3B	Smoked during 3 months before pregnancy, # cigs/day (of those who smoked in last 2 years)	
	From 26 and 27	SMK63B_A	Indicator of whether mother smoked at all during 3 months before pregnancy, out of all respondents	
	28	SMK6_3L	Smoked during last 3 months of pregnancy, # cigs/day (of those who smoked in last 2 years)	
	From 26 and 28	SMK63L_A	Number/percent of respondents who smoked in the last 3 months of pregnancy, <u>out of all respondents</u>	
	29	PNCQTSMK	SMK advice/stop during prenatal care visits	
	30a	SMKA_STP	Among smokers—advice during prenatal care visits how to quit	
	30b	SMKA_DAT	Among smokers—advice during prenatal care visits – set date to quit	
	30c	SMKA_CLS	Among smokers—advice during prenatal care visits suggest class	
	30d	SMKA_BK	Among smokers—advice during prenatal care visits – provided booklets/videos	
	30e	SMKA_HLP	Among smokers—advice during prenatal care visits – refer to counseling	
	30f	SMKA_FAM	Among smokers—advice during prenatal care visits – ask about family support	
	30g	SMKA_CAL	Among smokers—advice during prenatal care visits refer to quit line	
	30h	SMKA_GUM	Among smokers—advice during prenatal care visits use nicotine gum	
	30i	SMKA_PAT	Among smokers—advice during prenatal care visits use nicotine patch	
	30j	SMKA_SPY	Among smokers—advice during prenatal care visits use spray/inhaler	
	30k	SMKA_ZYBN	Among smokers -during prenatal care visits provider prescribed pill - Zyban	
	301	SMKA_CHNX	Among smokers -during prenatal care visits provider prescribed pill- Chantix	
	31	SMK6_3N	Smoke now, # cigs/day(of those who smoked in last 2 years)	
	From 26 and 31	SMK6NW_A	Indicator for whether mother smokes at all at the current time (time of completing survey, 2-6 months postpartum), of all respondents	

	PHASE 8 PRAMS SURVEY VARIABLE LIST-for birth years 2016+			
Selection	Phase 8 (2016+)Q#	Variable	Description	
	From 27,28	SMK6C_PG	Variable comparing smoking levels 3 months before pregnancy to the last 3 months of pregnancy	
	From 27,31	SMK6C_PP	Variable comparing smoking levels 3 months before pregnancy to current time	
	From 28,31	SMK6C_NW	Variable comparing smoking levels during the last 3 months of pregnancy to the current time	
	32	SMK_NWRL	Smoking rules inside house-now	
	33a	SMK_ECIG	SMKused e-cigarettes in last 2 yrs.	
	33b	SMK_НООК	SMKused hookah in last 2 yrs.	
	34	ECIG_3B	E-cigarette use 3 months before pregnant, how often	
	35	ECIG_3L	E-cigarette use last 3 months, how often	
	36	DRK_2YRS	Drank any alcohol last 2 years	
	37	DRK8_3B	Drank alcohol 3 months before pregnancy, drinks/wk.	
	38a	PAB6HUS	Abuse by husband or partner 12 months before pregnancy	
	38b	PAB_XHUS	Abuse by ex-husband or ex-partner 12 months before pregnancy	
	39a	PAD6HUS	Abuse by husband or partnerduring pregnancy	
	39b	PAD_XHUS	Abuse by ex-husband or ex-partner during pregnancy	
	From 40	YY_DOB	Year infant born	
	41	LTH_HOSP	Baby's hospital stay length of time	
	42	INFLIVE5	Infant alive now	
	43	INFWMOM5	Infant living with mom	
	44a	BFINF_DR	Breastfeeding infofrom my doctor	
	44b	BFINF_NUR	Breastfeeding infofrom nurse/midwife/doula	
	44c	BFINF_SPC	Breastfeeding info –from breastfeeding/lactation spec	
	44d	BFINF_BDR	Breastfeeding info –from baby's doc	
	44e	BFINF_GRP	Breastfeeding info –from breastfeeding support group	
	44f	BFINF_HOT	Breastfeeding info – from breastfeeding hotline	
	44g	BFINF_FAM	Breastfeeding infofrom family/friends	
	44h	BFINF_OTH	Breastfeeding infoother	
	44i	BFINF_TYPE	Breastfeeding infoother specified	
	45	BF5EVER	Breastfeed ever	
	46a	BFI5MSK	Barriers to initiating breastfeeding mom too sick/meds	
	46b	BFI5CHLD	Barriers to initiating breastfeeding other children	
	46c	BFI5HOME	Barriers to initiating breastfeeding household duties	
	46d	BFI5LIKE	Barriers to initiating breastfeeding – didn't like breastfeeding	
	46e	BFI6HARD	Barriers to initiating breastfeeding Tried but it was hard	
	46f	BFI6WANT	Barriers to initiating breastfeeding – Didn't want to	
	46g	BFI8WORK	Barriers to initiating breastfeeding Went back to work	

	PHASE 8 PRAMS SURVEY VARIABLE LIST-for birth years 2016+			
Selection	Phase 8 (2016+)Q#	Variable	Description	
	46h	BFI8SCHL	Barriers to initiating breastfeeding Went back to school	
	46i	BFI5OTH	Barriers to initiating breastfeeding other	
	46j	BFI5WHY	Barriers to initiating breastfeeding other specified	
	47	BF5STILL	Breastfeeding still	
	48a	BF5LNGTU	Breastfeeding duration weeks/months	
	48b	BF5LNGTH	Breastfeeding duration length of time	
	From 48a, 48b	BF5WEEKS	Length of breastfeeding in weeks; at time mom completes survey	
	49a	BFC5DIFF	Breastfeeding continuation barriers difficulty latching	
	49b	BFC5SAT	Breastfeeding continuation barriers milk didn't satisfy	
	49c	BFC5WT	Breastfeeding continuation barriers not gaining weight	
	49d	BFC5SORE	Breastfeeding continuation barriers nipples sore	
	49e	BFC5MILK	Breastfeeding continuation barriers not producing milk	
	49f	BFC5HOME	Breastfeeding continuation barriers household duties	
	49g	BFC5STOP	Breastfeeding continuation barriers right time to stop	
	49h	BFC5ILLM	Breastfeeding continuation barriers mom sick	
	49i	BFC8WORK	Breastfeeding continuation barriers Went back to work	
	49j	BFC8SCHL	Breastfeeding continuation barriers Went back to school	
	49k	BFC8HUSB	Breastfeeding continuation barriers partner did not support breastfeeding	
	491	BFC5JAUN	Breastfeeding continuation barriers jaundice	
	49m	BFC5OTH	Breastfeeding continuation barriers other	
	49n	BFC5WHY	Breastfeeding continuation barriers other specified	
	50	SLEEPPOS	Sleeping position baby	
	51	SLEEPOWN	Sleep – how often baby sleeps alone	
	52	SLP_ROOM	Sleep – baby in own crib in room with mom	
	53a	SLP_CRB8	Baby usually slept –in last 2 weeks- in crib/bassinette/play yard	
	53b	SLP_MAT8	Baby usually slept in last 2 weeks- on mattress/bed	
	53c	SLP_CHR	Baby usually slept in last 2 weeks- on couch/futon/chair	
	53d	SLP_SWG	Baby usually slept in last 2 weeks- in car seat/swing	
	53e	SLP_SAK	Baby usually slept – in last 2 weeks- in sleep sack or wearable blanket	
	53f	SLP_NBLK	Baby usually slept – in last 2 weeks with blanket	
	53g	SLP_TOYPIL	Baby usually slept – in last 2 weeks with toys, cushions or pillows	
	53h	SLP_NPAD	Baby usually slept – in last 2 weeks with bumper pads	
	54a	SLP2BACK	Health care provider recommend infant sleepplace on back	

	PHASE 8 PRAMS SURVEY VARIABLE LIST-for birth years 2016+			
Selection	Phase 8 (2016+)Q#	Variable	Description	
	54b	SLP2CRB	Health care provider recommend infant sleepplace in crib/bassinet/play yard	
	54c	SLP2MYRM	Health care provider recommend infant sleepplace baby crib/bed in my room	
	54d	SLP2NTBD	Health care provider recommend –what can or cannot go in baby bed	
	55	BC_NOW4	Postpartum birth control using now	
	56a	BCB_PREG	Postpartum reasons for no birth control want to get pregnant	
	56b	BCB_PNOW	Postpartum reasons for no birth control pregnant now	
	56c	BCB_TUBE	Postpartum reasons for no birth control – had tubes tied/blocked	
	56d	BCB_WANT	Postpartum reasons for no birth control – don't want to use	
	56e	BCB_SIDE	Postpartum reasons for no birth control – worried about side effect	
	56f	BCB_NSEX	Postpartum reasons for no birth control abstinence	
	56g	BCB_HUSB	Postpartum reasons for no birth control husband/partner doesn't want to use	
	56h	BCB_PAY	Postpartum reasons for no birth control – can't pay for birth control	
	56i	BCB_OTH	Postpartum reasons for no birth control other	
	56j	BCB_WHAT	Postpartum reasons for no birth control other specified	
	57a	BCP_TUBE	Birth control postpartum tubes tied	
	57b	BCP_VASE	Birth control postpartum vasectomy	
	57c	BCP_PILL	Birth control postpartum pill	
	57d	BCP_COND	Birth control postpartum condoms	
	57e	BCP_SHT3	Birth control postpartum shots every 3 months	
	57f	BCP_PTRG	Birth control postpartum contraceptive patch/ring	
	57g	BCP_IUD	Birth control postpartum IUD	
	57h	BCP_IMPL	Birth control postpartum contraceptive implant	
	57i	BCP_RHYT	Birth control postpartum rhythm	
	57j	BCP_PULL	Birth control postpartum withdrawal	
	57k	BCP_NSEX	Birth control postpartum abstinence	
	571	BCP_OTH	Birth control postpartum other	
	57m	BCP_WHAT	Birth control postpartum other specified	
	58	PPV_CHK	Had postpartum checkup for self	
	59a	VPP_VIT	Postpartum visit-provider advised taking folic acid	
	59b	VPP_EAT	Postpartum visit-provider talked about eating and exercise	
	59c	VPP_WAIT	Postpartum visit-provider talked about waiting before next pregnancy	

	PHASE 8 PRAMS SURVEY VARIABLE LIST-for birth years 2016+			
Selection	Phase 8 (2016+)Q#	Variable	Description	
	59d	VPP_BCM	Postpartum visit-provider talked about birth control methods	
	59e	VPP_PRESBC	Postpartum visit-provider prescribed birth control	
	59f	VPP_NSRT	Postpartum visit-provider inserted IUD or implant	
	59g	VPP_SMOK	Postpartum visit-provider asked about smoking cigarettes	
	59h	VPP_ABUS	Postpartum visit-provider asked about abuse	
	59i	VPP_DEPR	Postpartum visit-provider asked about depression	
	59j	VPP_DIAB	Postpartum visit-provider tested for diabetes	
	60	MH_PPDPR	MH depress since birth	
	61	MH_PPINT	MH no interest since birth	
	From 60 or 61	PP_DEPRESS	Summary measure of postpartum depression-answered "always" or "often" to Q60 or Q61	
	62	MH_PPHLP	MH after birth ask help	
	63	MH_PPDX	MH after birth told depress	
	64	HS_WATER	Get house tap water from private system	
	65a	HS_WTRTST	12 months before delivery provider recommendedtest household water for arsenic	
	65b	WTRTST_LEAD	12 months before delivery provider recommendedtest household water for lead	
	66a	WELLTST	Did you test well for arsenic during 12 months before delivery	
	66b	WLLTST_LEAD	Did you test well for lead during 12 months before delivery	
	67a	MJHSH_B4	Use marijuana or hash 12 months before pregnancy	
	67b	MJHSH_PG	Use marijuana or hash during pregnancy	
	67c	MJHSH_PP	Use marijuana or hash since baby born	
	68a	POT_NAUS	Marijuana use-reasonnausea	
	68b	POT_VOM	Marijuana use-reasonvomiting	
	68c	POT_STRS	Marijuana use-reasonstress/anxiety	
	68d	POT_CHRO	Marijuana use-reasonchronic condition	
	68e	POT_FUN	Marijuana use-reasonfun/relax	
	68f	РОТ_ОТН	Marijuana use-reasonother	
	68g	POT_SPC	Marijuana use-reasonother, specify	
	69	SMK_CAR	Smoking allowed in car with baby	
	70	LYME	Ever diagnosed with Lyme disease	
	71a	INF_ITRNT	Source for pregnancy info Internet search	
	71b	INF_TEXT	Source for pregnancy info Text messages	
	71c	INF_EMAIL	Source for pregnancy info Email	
	71d	INF_SOCMD	Source for pregnancy info Social media (Twitter)	
	71e	INF_FORUM	Source for pregnancy info Online discussion forum	
	71f	INF_MAG	Source for pregnancy info Magazine	

	PHASE 8 PRAMS SURVEY VARIABLE LIST-for birth years 2016+			
Selection	Phase 8 (2016+)Q#	Variable	Description	
	71g	INF_BOOK	Source for pregnancy info Book	
	71h	INF_DVD	Source for pregnancy info DVD video	
	71i	INF_UTUBE	Source for pregnancy info Online video/Youtube	
	71j	INF_APPS	Source for pregnancy info Cell phone apps	
	71k	INF_OTH	Source for pregnancy info Other	
	71	INF_WHAT	Source for pregnancy info Other, specify	
	72	WRK_PREG	During pregnancy work for pay	
	73a	WRK_TITL	Main job title	
	73b	WRK_DUTY	Main job duties	
	74a	WRK_TYPE	Main job type	
	74b	WRK_IDK	Main job type I don't know	
	75	WRKRETRN	Returned to the job had before pregnancy	
	76a	WRKPDLV	Paid leave from job after baby	
	76b	WRKUPDLV	Unpaid leave from job after baby	
	76c	WRKNOLV	No leave from job after baby	
	77a	LV_AMTU	How much leave taken or will take - unit (month/week)	
	77b	LV_AMT	How much leave taken or will take - number of weeks or months	
	78a	LVAFFORD	Leave decision could not afford	
	78b	LVAFRAID	Leave decision afraid to lose job	
	78c	LVWORKLD	Leave decision too much work	
	78d	LVUNPAID	Leave decision no paid leave	
	78e	LVNOFLEX	Leave decision no flexible schedule	
	78f	LVENOUGH	Leave decision not enough leave time	
	79	PPS_WIC6	Postpartum WIC for self and/or baby	
	81	CSS_OWN	Safety CSS have infant car seat	
	82a	CSI_READ	How learned to install infant car seat read instructions	
	82b	CSI_FRND	How learned to install infant car seat family show you	
	82c	CSI_PRO	How learned to install infant car seat professional show you	
	82d	CSI_SELF	How learned to install infant car seat figured out by self	
	82e	 CSI_KNEW	How learned to install infant car seat already knew	
	82f	CSI_OTH	How learned to install infant car seat other	
	82g	 CSI_HOW	How learned to install infant car seat other specified	
	85a	LIV_ADT3	Home # adults	
	85b	LIV_CHD3	Home # children	
	85c	LIV_TOT3	Living in household total	
	86	INCOME8	Income 12 months before delivery, total household income	

PHASE 8 PRAMS SURVEY VARIABLE LIST-for birth years 2016+			
Phase 8 (2016+)Q#	Variable	Description	
87	INC_NDEP	Income 12 months before delivery, dependents (+self)	
	INFQ_AGE	Age of infant at time questionnaire completed, measured in days	

	PHASE 8 PRAMS SURVEY VARIABLE LIST-COVID-19 VACCINE SUPPLEMENT			
Selection	Phase 8 Q#	Variable	Description	
	VC1a	HCW_TLKVAC	HCW do during pregnancy Talk about COVID-19 vaccine	
	VC1b	HCW_RECVAC	HCW do during pregnancy Recommend COVID-19 vaccine	
	VC1c	HCW_OFRVAC	HCW do during pregnancy Offered COVID-19 vaccine	
	VC1d	HCW_REFVAC	HCW do during pregnancy Referred for COVID-19 vaccine	
	VC2	DP_COVAC	COVID-19 vaccination during pregnancy	
	VC3a	VACBARR_ELIG_RAW	Barriers COVID-19 vaccine Not eligible	
	VC3b	VACBARR_AVAIL_RAW	Barriers COVID-19 vaccine Not available	
	VC3c	VACBARR_APPT_RAW	Barriers COVID-19 vaccine No appointment	
	VC3d	VACBARR_TRAN_RAW	Barriers COVID-19 vaccine No transportation	
	VC3e	VACBARR_ALWD_RAW	Barriers COVID-19 vaccine Not allowed	
	VC3f	VACBARR_EFINF_RAW	Barriers COVID-19 vaccine Concerned side effects for baby	
	VC3g	VACBARR_EFMOM_RAW	Barriers COVID-19 vaccine Concerned side effects for mom	
	VC3h	VACBARR_ALRG_RAW	Barriers COVID-19 vaccine Allergy	
	VC3i	VACBARR_HCWNO_RAW	Barriers COVID-19 vaccine HCW told not to get	
	VC3j	VACBARR_VACBP_RAW	Barriers COVID-19 vaccine Vaccinated before pregnancy	
	VC3k	VACBARR_COV_RAW	Barriers COVID-19 vaccine Already had COVID-19	
	VC3I	VACBARR_INFO_RAW	Barriers COVID-19 vaccine Not enough information	
	VC3m	VACBARR_DEVTM_RAW	Barriers COVID-19 vaccine Concerned developed quickly	
	VC3n	VACBAR_PROT_RAW	Barriers COVID-19 vaccine Think it would not protect	
	VC3o	VACBAR_SERILL_RAW	Barriers COVID-19 vaccine Not serious illness	
	VC3p	VACBAR_NORSK_RAW	Barriers COVID-19 vaccine Not at risk	
	VC3q	VACBAR_ALTMET_RAW	Barriers COVID-19 vaccine Preferred other methods	
	VC3r	VACBAR_NOBEN_RAW	Barriers COVID-19 vaccine Vaccines not beneficial	
	VC3s	VACBAR_OTH_RAW	Barriers COVID-19 vaccine Other	
	VC3t	VACBARR_TYPE_RAW	Barriers COVID-19 vaccine Other specified	
	VC4	PP_COVAC_RAW	Postnatal COVID-19 vaccination	
	VC5a	INFCOVAC	Trusted sources of information for COVID-19 vaccine	
	VC5b	INFCOVAC_WEB_TYPE	Other website - Specified	
	VC5c	INFCOVAC_OTH_TYPE	Other Source - Specified	
	VC6a	WRK_MEDCR	Work activities Health direct medical care	
	VC6b	WRK_HLTCR	Work Activities Health no direct medical care	
	VC6c	WRK_PUBL	Work Activities Regular contact public	
	VC6d	WRK_NOPUBL	Work Activities No contact public	
	VC6e	WORK_NONE	Work Activities None	

PHASE 8 PRAMS SURVEY VARIABLE LIST-COVID-19 VACCINE SUPPLEME			
Selection	Phase 8 Q#	Variable	Description
	VC2	DP_COVAC	COVID-19 vaccination during pregnancy
	VC1c	HCW_OFRVAC	HCW do during pregnancy Offered COVID-19 vaccine
	VC1b	HCW_RECVAC	HCW do during pregnancy Recommend COVID-19 vaccine
	VC1d	HCW_REFVAC	HCW do during pregnancy Referred for COVID-19 vaccine
	VC1a	HCW_TLKVAC	HCW do during pregnancy Talk about COVID-19 vaccine
	VC5a	INFCOVAC	Trusted sources of information for COVID-19 vaccine
	VC5c	INFCOVAC_OTH_TYPE	Other Source - Specified
	VC5b	INFCOVAC_WEB_TYPE	Other website - Specified
	VC4	PP_COVAC_RAW	Postnatal COVID-19 vaccination
	VC3q	VACBAR_ALTMET_RAW	Barriers COVID-19 vaccine Preferred other methods
	VC3r	VACBAR_NOBEN_RAW	Barriers COVID-19 vaccine Vaccines not beneficial
	VC3p	VACBAR_NORSK_RAW	Barriers COVID-19 vaccine Not at risk
	VC3s	VACBAR_OTH_RAW	Barriers COVID-19 vaccine Other
	VC3n	VACBAR_PROT_RAW	Barriers COVID-19 vaccine Think it would not protect
	VC3o	VACBAR_SERILL_RAW	Barriers COVID-19 vaccine Not serious illness
	VC3h	VACBARR_ALRG_RAW	Barriers COVID-19 vaccine Allergy
	VC3e	VACBARR_ALWD_RAW	Barriers COVID-19 vaccine Not allowed
	VC3c	VACBARR_APPT_RAW	Barriers COVID-19 vaccine No appointment
	VC3b	VACBARR_AVAIL_RAW	Barriers COVID-19 vaccine Not available
	VC3k	VACBARR_COV_RAW	Barriers COVID-19 vaccine Already had COVID-19
	VC3m	VACBARR_DEVTM_RAW	Barriers COVID-19 vaccine Concerned developed quickly
	VC3f	VACBARR_EFINF_RAW	Barriers COVID-19 vaccine Concerned side effects for baby
	VC3g	VACBARR_EFMOM_RAW	Barriers COVID-19 vaccine Concerned side effects for mom
	VC3a	VACBARR_ELIG_RAW	Barriers COVID-19 vaccine Not eligible
	VC3i	VACBARR_HCWNO_RAW	Barriers COVID-19 vaccine HCW told not to get
	VC3I	VACBARR_INFO_RAW	Barriers COVID-19 vaccine Not enough information
	VC3d	VACBARR_TRAN_RAW	Barriers COVID-19 vaccine No transportation
	VC3t	VACBARR_TYPE_RAW	Barriers COVID-19 vaccine Other specified
	VC3j	VACBARR_VACBP_RAW	Barriers COVID-19 vaccine Vaccinated before pregnancy
	VC6e	WORK_NONE	Work Activities None
	VC6b	WRK_HLTCR	Work Activities Health no direct medical care
	VC6a	WRK_MEDCR	Work activities Health direct medical care
	VC6d	WRK_NOPUBL	Work Activities No contact public
	VC6c	WRK_PUBL	Work Activities Regular contact public

РН	PHASE 8 PRAMS SURVEY VARIABLE LIST-COVID-19 VACCINE SUPPLEMENT			
Selection	Variable	Description		
	PP_COVAC	Postnatal COVID-19 vaccination (FORCED SKIP)		
	VACBAR_ALTMET	Barriers COVID-19 vaccine Preferred other methods (FORCED SKIP)		
	VACBAR_NOBEN	Barriers COVID-19 vaccine Vaccines not beneficial (FORCED SKIP)		
	VACBAR_NORSK	Barriers COVID-19 vaccine Not at risk (FORCED SKIP)		
	VACBAR_OTH	Barriers COVID-19 vaccine Other (FORCED SKIP)		
	VACBAR_PROT	Barriers COVID-19 vaccine Think it would not protect (FORCED SKIP)		
	VACBAR_SERILL	Barriers COVID-19 vaccine Not serious illness (FORCED SKIP)		
	VACBARR_ALRG	Barriers COVID-19 vaccine Allergy (FORCED SKIP)		
	VACBARR_ALWD	Barriers COVID-19 vaccine Not allowed (FORCED SKIP)		
	VACBARR_APPT	Barriers COVID-19 vaccine No appointment (FORCED SKIP)		
	VACBARR_AVAIL	Barriers COVID-19 vaccine Not available (FORCED SKIP)		
	VACBARR_COV	Barriers COVID-19 vaccine Already had COVID-19 (FORCED SKIP)		
	VACBARR_DEVTM	Barriers COVID-19 vaccine Concerned developed quickly (FORCED SKIP)		
	VACBARR_EFINF	Barriers COVID-19 vaccine Concerned side effects for baby (FORCED SKIP)		
	VACBARR_EFMOM	Barriers COVID-19 vaccine Concerned side effects for mom (FORCED SKIP)		
	VACBARR_ELIG	Barriers COVID-19 vaccine Not eligible (FORCED SKIP)		
	VACBARR_HCWNO	Barriers COVID-19 vaccine HCW told not to get (FORCED SKIP)		
	VACBARR_INFO	Barriers COVID-19 vaccine Not enough information (FORCED SKIP)		
	VACBARR_TRAN	Barriers COVID-19 vaccine No transportation (FORCED SKIP)		
	VACBARR_TYPE	Barriers COVID-19 vaccine Other specified (FORCED SKIP)		
	VACBARR_VACBP	Barriers COVID-19 vaccine Vaccinated before pregnancy (FORCED SKIP)		

I have reviewed the request form. All statements made in the request form are true, complete, and correct to the best of my knowledge, and I agree to abide by the aforementioned stipulations.

Name of person requesting data:		Name of overall responsible party/principal investigator:
Title:		Title:
Organization:		Organization:
Signature:	Date:	Signature: Date:

Send this completed request form to:

NH PRAMS Data Request Bureau of Public Health Statistics and Informatics Division of Public Health Services Department of Health and Human Services 29 Hazen Drive Concord, NH 03301-6504

For questions, please e-mail to <u>DHHS.HealthStatistic@dhhs.nh.gov</u>