

Tetanus, Diphtheria, Pertussis Combination Quiz

Use the following responses to answer these questions. Some responses may be used more than once.

Tdap – Td – DTaP – DT

1. This product is used for children 6 weeks to 7 years old who refuse or cannot have pertussis vaccine. ____ (DT)_____
 2. This tetanus product is used for children 7 years and older who do not need pertussis coverage. ____ (Td)_____
 3. Unvaccinated children between the ages of 10 –18 years old can have one dose of this vaccine in their series of 3 doses. ____ (Tdap)_____.
 4. If you are 11 years old and it has been ≥ 5 years since your last tetanus, the school requirement is that you have one dose of this vaccine for school entrance ____ (Tdap)_____.
 5. This is the tetanus product that is used for children 6wks to 7 years old. ____ (DTaP)_____
 6. Patients over age 64 years should have this product when a tetanus is due ____ (Td)_____
-

Use the following responses for questions 7 – 12

Boostrix™ – Adacel™ – Pediarix™ - Pentacel™

7. This product is a combination of DTaP, IVP and HepB ____ (Pediarix)_____.
8. This product is a combination of DTaP, IPV and HIB vaccine ____ (Pentacel)_____

9. ____ (Adacel) _____ is a tetanus product used for people between the ages of 11-64 yo.

10. ____ (Boostrix) _____ is a tetanus product licensed for use in people as young as 10 years old.

11. ____ (Pentacel is answer– Pediarix can be give to kids up to age 7 years as long as it is for the first 3 doses of DTaP/IPV) _____ is approved for use in children ages 6wks through 4 years only (up to 5 yr old).

12. ____ (Pentacel) _____ vaccine is the only vaccine that we carry that requires that you mix two vaccines together (not a diluent).