

**Table 1C**  
**2011 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**  
**Summary of Demographic Indicators**  
**Children Aged < 5 Years** (2,3)

Total Records	Number
Individual Children	18,202
Total Records (All Visits)	24,526

Source of Data	Number	%
WIC	18,202	100.0
EPSDT	0	0.0
Child Health-MCH	0	0.0
Child Health-HMO	0	0.0
Headstart	0	0.0
School Health	0	0.0
Other	0	0.0
<b>Total</b>	<b>18,202</b>	<b>100.0</b>
<i>Excluded Unknown:</i>	0	0.0 %

Race/Ethnic Distribution	Number	%
White, Not Hispanic	14,199	78.0
Black, Not Hispanic	713	3.9
Hispanic	2,265	12.4
American Indian/Alaska Native	117	0.6
Asian/Pacific Islander	453	2.5
Multiple Races	455	2.5
All Other	0	0.0
<b>Total</b>	<b>18,202</b>	<b>100.0</b>
<i>Excluded Unknown:</i>	0	0.0 %

Age Distribution (4)	Number	%
0 - 5 Months	4,707	25.9
6 - 11 Months	1,238	6.8
12 - 23 Months	3,855	21.2
24 - 35 Months	2,963	16.3
3 - 4 Years	5,439	29.9
<b>Total</b>	<b>18,202</b>	<b>100.0</b>

% of Poverty Level	Number	%
0-50	5,637	31.2
51-100	5,757	31.9
101-130	2,763	15.3
131-150	1,433	7.9
151-185	1,950	10.8
186-200	190	1.1
Over 200	316	1.8
Adjunctive Eligibility	0	0.0
<b>Total</b>	<b>18,046</b>	<b>100.0</b>
<i>Excluded Unknown:</i>	156	0.9 %

Program Participation	Number	%
WIC	18,202	100.0
SNAP	18,202	45.9
Medicaid	18,202	64.4
TANF	18,202	22.1
<i>Excluded Unknown:</i>		
WIC	0	0.0
SNAP	0	0.0
Medicaid	0	0.0
TANF	0	0.0

Migrant Status	Number	%
Yes	1	*
No	18,201	100.0
<b>Total</b>	<b>18,202</b>	<b>100.0</b>
<i>Excluded Unknown:</i>	0	0.0 %

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 2C**  
**2011 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**  
**Summary of Health Indicators**  
**Children Aged < 5 Years** (2)

Summary of Health Indicators (3)				
	New Hampshire Prevalence		National Prevalence (Prior Year)	
	Number	%	Number	%
<b>Birthweight (4)</b>				
Low	0	*	1,851,546	9.0
High	0	*	1,851,546	6.3
<b>Height and Weight (5,6)</b>				
< 5 Yrs Short Stature	17,639	6.9	8,057,124	6.3
< 5 Yrs Underweight	17,639	1.8	8,057,124	3.6
< 5 Yrs Obese	17,639	12.4	8,057,124	12.4
≥ 2 Yrs Overweight	8,249	16.9	3,572,939	16.1
≥ 2 Yrs Obese	8,249	14.6	3,572,939	14.4
<b>Anemia (7)</b>				
Low Hb	10,279	15.0	5,147,185	14.7
Low Hct	4	*	435,650	10.9
Low Hb/Hct	10,283	15.0	5,391,027	14.6
<b>Breastfeeding (8)</b>				
Ever Breastfed	4,393	71.7	1,689,615	63.2
Breastfed At Least 6 Months	1,702	22.0	908,604	25.1
Breastfed At Least 12 Months	2,416	11.2	1,069,942	16.9
<b>Smoking in Household</b>				
≤ 2 Hours TV Viewing/ Day (9)	17,919	7.3	4,203,554	9.4
	8,798	85.8	1,200,700	79.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.

(5) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

(8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(9) Children aged 2 years and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 3C**  
**2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**  
**Summary of Breastfeeding Indicators**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Summary of Breastfeeding Indicators</b> <sup>(3)</sup>				
	New Hampshire Prevalence		National Prevalence (Prior Year)	
	Number	%	Number	%
<b>Breastfeeding Duration</b> <sup>(4,5)</sup>				
Ever Breastfed	4,393	71.7	1,689,615	63.2
Breastfed 1+ Weeks	4,058	67.0	1,377,351	60.6
Breastfed 2+ Weeks	2,725	66.0	1,047,691	57.9
Breastfed 3+ Weeks	1,920	63.0	856,066	54.5
Breastfed 4+ Weeks	1,493	59.8	754,209	51.2
Breastfed 6+ Weeks	1,101	51.6	655,027	44.1
Breastfed 2+ Months	1,019	46.1	631,752	38.2
Breastfed 3+ Months	1,102	37.3	686,347	33.3
Breastfed 4+ Months	1,243	31.3	774,371	29.7
Breastfed 5+ Months	1,467	25.2	867,746	26.8
Breastfed 6+ Months	1,702	22.0	908,604	25.1
Breastfed 9+ Months	2,462	13.8	987,191	20.4
Breastfed 12+ Months	2,416	11.2	1,069,942	16.9
Breastfed 18+ Months	1,714	7.6	794,365	10.9
<b>Exclusive Breastfeeding</b> <sup>(6)</sup>				
Exclusively Breastfed at Least 3 Months	1,070	22.9	363,039	10.7
Exclusively Breastfed at Least 6 Months	1,647	8.8	466,279	6.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4C**  
**2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**  
**Comparison of Racial and Ethnic Distribution by Contributor to Nation**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Contributor</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
<b>New Hampshire</b>	<b>18,202</b>	<b>78.0</b>	<b>3.9</b>	<b>12.4</b>	<b>0.6</b>	<b>2.5</b>	<b>2.5</b>	<b>0.0</b>
<b>Nation (Prior Year)</b>	<b>8,672,965</b>	<b>32.5</b>	<b>19.1</b>	<b>39.7</b>	<b>0.9</b>	<b>2.5</b>	<b>2.7</b>	<b>2.5</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5C  
**2011 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**  
**Comparison of Age Distribution by Contributor to Nation**  
**Children Aged < 5 Years** (2)

<b>Comparison of Age Distribution</b>				
<b>Contributor</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
<b>New Hampshire</b>	<b>18,202</b>	<b>32.7</b>	<b>21.2</b>	<b>46.2</b>
<b>Nation (Prior Year)</b>	<b>8,672,965</b>	<b>33.7</b>	<b>22.1</b>	<b>44.2</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 6C**  
**2011 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**

**Comparison of Growth and Anemia Indicators by Contributor to Nation**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3)												
<b>Contributor</b>	<b>Birthweight</b> (4)			<b>Height and Weight</b> (5,6)						<b>Anemia</b> Low Hb/Hct (7)		
	Low	High		Short Stature	Under- weight	Obese		≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
<b>New Hampshire</b>	<b>0</b>	<b>*</b>	<b>*</b>	<b>17,639</b>	<b>6.9</b>	<b>1.8</b>	<b>12.4</b>	<b>8,249</b>	<b>16.9</b>	<b>14.6</b>	<b>10,283</b>	<b>15.0</b>
<b>Nation (Prior Year)</b>	<b>1,851,546</b>	<b>9.0</b>	<b>6.3</b>	<b>8,057,124</b>	<b>6.3</b>	<b>3.6</b>	<b>12.4</b>	<b>3,572,939</b>	<b>16.1</b>	<b>14.4</b>	<b>5,391,027</b>	<b>14.6</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7C  
2011 Pediatric Nutrition Surveillance (1)  
New Hampshire**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor to Nation (2)  
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)	Smoking in Household				
Contributor	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	%				
New Hampshire	4,393	71.7	1,702	22.0	2,416	11.2	1,070	22.9	1,647	8.8	8,798	85.8	17,919	7.3
Nation (Prior Year)	1,689,615	63.2	908,604	25.1	1,069,942	16.9	363,039	10.7	466,279	6.1	1,200,700	79.2	4,203,554	9.4

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(7) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 8C**  
**2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**  
**Growth and Anemia Indicators by Race/Ethnicity or Age**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Growth and Anemia Indicators by Race/Ethnicity or Age</b> <sup>(3)</sup>												
	Birthweight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Number	Low %	High %	Number	Short Stature	Under- weight	Obese	> 2 Yrs Overweight and Obese		Number	%	
		<2500 g	>4000 g		%	%	%	Number	%			Obese
<b>Race/Ethnicity</b>												
White, Not Hispanic	0	*	*	13,754	7.1	1.8	12.0	6,415	16.8	14.2	8,009	12.6
Black, Not Hispanic	0	*	*	701	6.0	2.6	14.0	355	16.9	14.1	422	35.3
Hispanic	0	*	*	2,190	5.7	1.4	14.8	1,036	19.1	17.7	1,274	23.5
American Indian/Alaska Native	0	*	*	113	6.2	3.5	14.2	75	*	*	80	*
Asian/Pacific Islander	0	*	*	443	7.9	2.0	10.4	182	11.0	11.5	240	13.3
Multiple Races	0	*	*	438	5.7	0.9	9.6	186	16.7	12.9	258	17.1
All Other	0	*	*	0	*	*	*	0	*	*	0	*
<b>Total</b>	<b>0</b>	<b>*</b>	<b>*</b>	<b>17,639</b>	<b>6.9</b>	<b>1.8</b>	<b>12.4</b>	<b>8,249</b>	<b>16.9</b>	<b>14.6</b>	<b>10,283</b>	<b>15.0</b>
<b>Age</b>												
0 - 11 Months	-	-	-	5,661	11.7	2.0	8.1	-	*	*	932	21.1
12 - 23 Months	-	-	-	3,729	6.3	0.2	13.9	-	*	*	3,210	17.7
24 - 35 Months	-	-	-	2,924	4.2	2.4	11.7	2,924	16.9	11.7	2,248	14.9
36 - 47 Months	-	-	-	2,785	3.8	2.7	16.0	2,785	15.9	16.0	2,217	12.5
48 - 59 Months	-	-	-	2,540	3.3	1.9	16.5	2,540	18.1	16.5	1,676	9.9
<b>Total</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>17,639</b>	<b>6.9</b>	<b>1.8</b>	<b>12.4</b>	<b>8,249</b>	<b>16.9</b>	<b>14.6</b>	<b>10,283</b>	<b>15.0</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age  $\leq$  2.3rd percentile, underweight is defined as weight-for-length  $\leq$  2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as  $\geq$  97.7th percentile.

(6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age  $<$  5th percentile, underweight is defined as BMI-for-age  $<$  5th percentile, overweight is defined as BMI-for-age  $\geq$  85th to  $<$  95th percentile, and obesity is defined as  $\geq$  95th percentile.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if  $<$  100 records are available for analysis after exclusions.



**Table 9C**  
**2011 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**

**Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age** (2)  
**Children Aged < 5 Years** (3)

<b>Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age</b> (4)										
	Breastfeeding (5)						<2 Hours TV/Video Viewing/Day (6)		Smoking in Household	
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	%	Number	%
<b>Race/Ethnicity</b>										
White, Not Hispanic	3,493	71.8	1,332	21.2	1,845	10.8	6,823	86.9	13,979	8.1
Black, Not Hispanic	144	79.2	60	*	97	*	384	79.4	707	2.8
Hispanic	505	66.7	215	17.7	326	9.8	1,111	83.3	2,230	4.8
American Indian/Alaska Native	4	*	14	*	12	*	78	*	116	6.9
Asian/Pacific Islander	137	79.6	39	*	48	*	200	78.5	440	1.6
Multiple Races	110	70.9	42	*	88	*	202	82.7	447	7.4
All Other	0	*	0	*	0	*	0	*	0	*
<b>Total</b>	<b>4,393</b>	<b>71.7</b>	<b>1,702</b>	<b>22.0</b>	<b>2,416</b>	<b>11.2</b>	<b>8,798</b>	<b>85.8</b>	<b>17,919</b>	<b>7.3</b>
<b>Age</b>										
0 - 11 Months	-	-	-	-	-	-	0	*	5,735	5.9
12 - 23 Months	-	-	-	-	-	-	0	*	3,827	6.8
24 - 35 Months	-	-	-	-	-	-	3,409	86.9	2,948	8.0
36 - 47 Months	-	-	-	-	-	-	2,843	85.7	2,872	8.2
48 - 59 Months	-	-	-	-	-	-	2,546	84.4	2,537	9.5
<b>Total</b>	<b>4,393</b>	<b>71.7</b>	<b>1,702</b>	<b>22.0</b>	<b>2,416</b>	<b>11.2</b>	<b>8,798</b>	<b>85.8</b>	<b>17,919</b>	<b>7.3</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) Children aged 2 years and older included in the analysis

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 10C**  
**2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**  
**Summary of Trends in Racial and Ethnic Distribution**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Summary of Trends in Racial and Ethnic Distribution</b>								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
2011	18,202	78.0	3.9	12.4	0.6	2.5	2.5	0.0
2010	19,102	79.8	3.7	11.2	0.9	2.0	2.4	0.0
2009	20,115	81.0	3.7	10.4	0.8	2.0	1.9	0.2
2008	19,071	83.1	4.1	8.7	0.9	1.8	1.5	0.0
2007	17,842	84.7	4.4	7.3	0.7	1.7	1.2	0.0
2006	17,135	87.4	4.6	5.0	0.4	1.6	0.9	0.0
2005	18,215	64.4	3.7	6.0	0.1	1.1	1.1	23.7
2004	17,446	87.1	4.6	6.9	0.1	1.3	0.0	0.0
2003	17,010	88.8	3.7	6.3	0.1	1.1	0.0	0.0
2002	15,755	89.4	3.6	5.8	0.1	1.1	0.0	0.0
2001	13,992	90.4	3.3	5.2	0.2	0.9	0.0	0.0
2000	2,184	93.4	2.4	3.7	0.1	0.4	0.0	0.0
1999	13,608	95.3	1.9	2.2	0.1	0.5	0.0	0.0
1998	11,946	98.1	0.6	1.0	0.0	0.3	0.0	0.0
1997	18,719	98.3	0.6	0.8	0.0	0.2	0.0	0.0
1996	19,267	97.9	0.7	1.1	0.0	0.3	0.0	0.0
1995	19,804	97.3	0.8	1.6	0.0	0.3	0.0	0.0
1994	20,220	96.1	1.2	2.2	0.0	0.5	0.0	0.0
1993	19,957	96.3	1.2	2.0	0.0	0.5	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 10C**  
**2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**  
**Summary of Trends in Racial and Ethnic Distribution**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Summary of Trends in Racial and Ethnic Distribution</b>								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
1992	20,470	96.1	1.3	2.0	0.0	0.5	0.0	0.0
1991	18,351	96.4	1.2	1.8	0.1	0.5	0.0	0.0
1990	17,240	95.9	1.7	1.8	0.1	0.5	0.0	0.0
1989	15,613	95.9	1.6	1.9	0.1	0.5	0.0	0.0
1988	14,027	96.4	1.5	1.5	0.1	0.6	0.0	0.0
1987	14,246	96.1	1.6	1.5	0.1	0.7	0.0	0.0
1986	15,158	96.7	1.3	1.0	0.1	0.9	0.0	0.0
1985	16,440	97.3	0.9	0.8	0.1	0.9	0.0	0.1
1984	16,865	97.4	0.9	0.9	0.0	0.7	0.0	0.1
1983	74	*	*	*	*	*	*	*
1982	3	*	*	*	*	*	*	*
1981	2	*	*	*	*	*	*	*
1980	1	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 11C**  
**2011 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**  
**Summary of Trends in Age Distribution**  
**Children Aged < 5 Years** (2)

<b>Summary of Trends in Age Distribution</b> (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
2011	18,202	32.7	21.2	46.2
2010	19,102	32.1	21.5	46.5
2009	20,115	32.6	21.9	45.5
2008	19,071	33.8	22.8	43.4
2007	17,842	35.5	22.8	41.7
2006	17,135	36.5	21.5	42.0
2005	18,215	39.2	18.5	42.2
2004	17,446	38.3	18.3	43.4
2003	17,010	37.6	18.7	43.7
2002	15,755	37.2	18.2	44.6
2001	13,992	37.8	18.4	43.8
2000	2,184	33.8	20.5	45.7
1999	13,608	34.6	20.4	45.1
1998	11,946	31.5	21.4	47.1
1997	18,719	33.9	20.6	45.4
1996	19,267	33.7	20.7	45.6
1995	19,804	33.0	20.5	46.5
1994	20,220	33.3	19.5	47.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 11C**  
**2011 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**  
**Summary of Trends in Age Distribution**  
**Children Aged < 5 Years** (2)

<b>Summary of Trends in Age Distribution</b> (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
1993	19,957	34.1	20.4	45.5
1992	20,470	34.0	21.1	45.0
1991	18,351	36.5	22.7	40.8
1990	17,240	33.3	21.9	44.8
1989	15,613	34.0	20.6	45.4
1988	14,027	33.1	20.6	46.3
1987	14,246	33.9	20.6	45.5
1986	15,158	34.5	19.6	45.9
1985	16,440	33.2	19.5	47.3
1984	16,865	33.6	20.1	46.3
1983	74	*	*	*
1982	3	*	*	*
1981	2	*	*	*
1980	1	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 12C**  
**2011 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**  
**Summary of Trends in Growth and Anemia Indicators**  
**Children Aged < 5 Years** (2)

<b>Summary of Trends in Growth and Anemia Indicators</b> (3)												
Year	Birthweight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under- weight	Obese		> 2 Yrs Overweight and Obese				
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
2011	0	*	*	17,639	6.9	1.8	12.4	8,249	16.9	14.6	10,283	15.0
2010	0	*	*	18,413	6.1	2.1	12.4	8,621	17.1	14.2	10,515	13.7
2009	3,945	8.3	10.0	19,469	6.4	2.0	12.7	8,963	17.8	14.4	11,568	13.8
2008	4,457	7.1	9.6	18,138	6.5	1.9	13.5	8,082	17.8	15.5	10,532	12.6
2007	4,391	7.6	10.2	16,324	6.8	2.1	13.9	7,254	17.8	15.8	9,677	13.7
2006	4,039	8.0	9.0	15,476	7.0	2.4	14.1	7,003	18.1	15.9	9,085	13.8
2005	4,558	8.4	10.1	17,014	6.5	2.4	14.2	7,492	18.7	15.9	12,305	10.7
2004	4,246	7.3	9.8	16,309	7.8	2.2	15.7	7,348	19.4	16.3	11,090	11.5
2003	4,038	7.8	10.8	15,888	7.1	2.4	14.8	7,227	19.4	15.6	10,490	13.8
2002	3,621	7.6	10.4	14,602	7.7	2.5	15.4	6,759	17.9	15.1	8,971	15.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age  $\leq$  2.3rd percentile, underweight is defined as weight-for-length  $\leq$  2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as  $\geq$  97.7th percentile.

(6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age  $<$  5th percentile, underweight is defined as BMI-for-age  $<$  5th percentile, overweight is defined as BMI-for-age  $\geq$  85th to  $<$  95th percentile, and obesity is defined as  $\geq$  95th percentile.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if  $<$  100 records are available for analysis after exclusions.



**Table 12C**  
**2011 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**  
**Summary of Trends in Growth and Anemia Indicators**  
**Children Aged < 5 Years** (2)

<b>Summary of Trends in Growth and Anemia Indicators</b> (3)												
Year	Birthweight (4)			Height and Weight (5,6)							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature	Under- weight	Obese		> 2 Yrs Overweight and Obese				
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
2001	3,612	9.5	10.5	13,003	8.3	2.5	15.4	5,913	16.8	14.4	8,065	16.1
2000	398	6.0	12.6	2,034	7.5	2.7	14.8	960	18.3	15.1	961	15.4
1999	2,986	8.8	11.2	12,551	8.3	3.1	13.7	5,975	18.0	14.4	7,015	15.6
1998	2,304	7.2	12.1	11,031	8.1	2.8	13.9	5,530	16.9	13.5	6,436	16.0
1997	4,088	7.1	11.4	16,909	7.9	3.1	12.5	8,343	16.2	12.7	11,285	14.8
1996	4,405	6.6	11.8	16,853	8.2	3.2	12.5	8,715	17.2	12.2	12,245	14.3
1995	4,381	7.1	11.8	17,262	8.3	2.8	11.6	9,084	16.7	11.0	13,067	13.8
1994	4,639	6.8	11.4	17,769	8.6	3.3	11.2	9,370	16.3	10.6	13,179	12.7
1993	4,527	6.4	11.2	17,629	8.0	3.6	10.3	8,995	14.5	9.0	12,161	12.7
1992	4,685	7.6	11.1	17,886	9.0	3.2	10.9	9,007	15.4	9.8	12,922	10.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age  $\leq$  2.3rd percentile, underweight is defined as weight-for-length  $\leq$  2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as  $\geq$  97.7th percentile.

(6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age  $<$  5th percentile, underweight is defined as BMI-for-age  $<$  5th percentile, overweight is defined as BMI-for-age  $\geq$  85th to  $<$  95th percentile, and obesity is defined as  $\geq$  95th percentile.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if  $<$  100 records are available for analysis after exclusions.



**Table 12C**  
**2011 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**  
**Summary of Trends in Growth and Anemia Indicators**  
**Children Aged < 5 Years** (2)

<b>Summary of Trends in Growth and Anemia Indicators</b> (3)												
Year	Birthweight (4)			Height and Weight (5,6)							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature	Under- weight	Obese		> 2 Yrs Overweight and Obese				
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
1991	4,612	5.8	11.2	15,986	8.9	3.3	10.0	7,325	14.3	9.0	11,899	11.6
1990	4,037	6.7	11.3	15,116	7.5	4.0	8.6	7,572	12.6	7.3	11,079	12.6
1989	3,535	7.6	11.2	14,223	7.7	3.9	7.7	7,011	13.9	7.7	10,305	17.0
1988	2,929	6.5	11.0	12,835	8.3	3.7	7.7	6,418	13.1	7.8	9,282	12.9
1987	3,310	7.5	10.7	13,009	7.8	3.9	6.9	6,413	13.6	7.3	9,468	12.1
1986	3,341	7.4	11.5	14,038	6.2	4.2	5.6	6,829	12.3	7.2	10,415	13.5
1985	3,476	6.8	11.8	15,783	7.5	4.0	6.2	7,640	12.9	6.6	11,074	14.7
1984	3,688	6.9	11.8	16,477	6.7	4.8	5.8	7,740	12.2	5.8	11,810	13.6
1983	48	*	*	57	*	*	*	9	*	*	28	*
1982	1	*	*	0	*	*	*	0	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age  $\leq$  2.3rd percentile, underweight is defined as weight-for-length  $\leq$  2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as  $\geq$  97.7th percentile.

(6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age  $<$  5th percentile, underweight is defined as BMI-for-age  $<$  5th percentile, overweight is defined as BMI-for-age  $\geq$  85th to  $<$  95th percentile, and obesity is defined as  $\geq$  95th percentile.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if  $<$  100 records are available for analysis after exclusions.



**Table 12C**  
**2011 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**  
**Summary of Trends in Growth and Anemia Indicators**  
**Children Aged < 5 Years** (2)

<b>Summary of Trends in Growth and Anemia Indicators</b> (3)												
Year	Birthweight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under- weight	Obese	> 2 Yrs Overweight and Obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	%	%	Number	%
1981	0	*	*	0	*	*	*	0	*	*	1	*
1980	0	*	*	0	*	*	*	0	*	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age  $\leq$  2.3rd percentile, underweight is defined as weight-for-length  $\leq$  2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as  $\geq$  97.7th percentile.

(6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age  $<$  5th percentile, underweight is defined as BMI-for-age  $<$  5th percentile, overweight is defined as BMI-for-age  $\geq$  85th to  $<$  95th percentile, and obesity is defined as  $\geq$  95th percentile.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if  $<$  100 records are available for analysis after exclusions.



**Table 13C**  
**2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**  
**Summary of Trends in Breastfeeding**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Summary of Trends in Breastfeeding</b> <sup>(3)</sup>						
Year	Breastfeeding <sup>(4)</sup>					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2011	4,393	71.7	1,702	22.0	2,416	11.2
2010	4,487	71.1	1,828	22.7	2,685	14.2
2009	4,830	68.8	1,976	26.0	2,917	15.4
2008	4,771	67.0	1,975	24.6	2,876	15.9
2007	4,653	65.4	1,736	23.7	2,504	14.1
2006	4,579	64.6	1,758	22.8	2,317	14.7
2005	4,685	60.5	2,955	20.3	2,192	15.2
2004	4,316	60.3	2,991	21.5	2,203	12.5
2003	4,123	59.2	2,913	18.7	2,086	8.5
2002	3,680	59.3	2,388	19.0	1,787	7.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 13C**  
**2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**  
**Summary of Trends in Breastfeeding**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Summary of Trends in Breastfeeding</b> <sup>(3)</sup>						
Year	Breastfeeding <sup>(4)</sup>					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2001	3,679	53.0	2,466	18.4	1,880	7.8
2000	404	50.5	178	18.0	181	15.5
1999	3,054	48.6	1,760	19.5	1,590	13.0
1998	2,373	45.7	1,370	19.3	1,474	12.9
1997	4,318	42.6	2,404	18.7	2,389	10.9
1996	4,538	50.9	2,542	17.1	2,547	10.6
1995	4,510	43.3	2,576	17.8	2,685	11.4
1994	4,747	37.3	2,462	15.3	2,580	10.6
1993	4,629	36.6	2,752	15.1	2,698	11.9
1992	4,832	34.9	2,718	15.2	2,840	9.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 13C**  
**2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**  
**Summary of Trends in Breastfeeding**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Summary of Trends in Breastfeeding</b> <sup>(3)</sup>						
Year	Breastfeeding (4)					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
1991	4,511	34.3	2,610	19.8	2,674	17.2
1990	3,673	33.3	1,957	19.8	2,195	12.0
1989	3,569	28.0	2,308	14.9	2,041	10.4
1988	2,971	29.0	2,075	17.3	1,767	13.3
1987	3,359	31.6	2,368	17.7	1,986	11.7
1986	3,413	35.7	2,578	19.7	2,039	11.7
1985	2,931	45.2	2,415	18.2	1,957	11.9
1984	3,392	46.7	2,483	20.3	1,972	10.2
1983	49	*	13	*	6	*
1982	1	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 14C  
**2011 Pediatric Nutrition Surveillance**  
New Hampshire  
Children Aged < 5 Years

Page: 21  
Run Date: 3 / 27 / 12

**This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.**

Table 15C  
**2011 Pediatric Nutrition Surveillance**  
New Hampshire  
Children Aged < 5 Years

Page: 22  
Run Date: 3 / 27 / 12

**This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.**

**Table 16C**  
**2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**  
**Growth Indicators by Race/Ethnicity and Age**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Growth Indicators by Race/Ethnicity and Age</b> <sup>(3)</sup>									
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)		
	Number	%	Number	%	Number	%	Number	% Overweight	% Obese
<b>White, Not Hispanic</b>									
0 - 11 Months	4,518	11.9	4,518	2.1	4,518	7.6	0	0.0	0.0
12 - 23 Months	2,821	6.6	2,821	0.1	2,821	14.1	0	0.0	0.0
24 - 59 Months	6,415	3.9	6,415	2.3	6,415	14.2	6,415	16.8	14.2
<b>Total</b>	<b>13,754</b>	<b>7.1</b>	<b>13,754</b>	<b>1.8</b>	<b>13,754</b>	<b>12.0</b>	<b>6,415</b>	<b>16.8</b>	<b>14.2</b>
<b>Black, Not Hispanic</b>									
0 - 11 Months	186	12.4	186	2.7	186	11.3	0	0.0	0.0
12 - 23 Months	160	4.4	160	1.3	160	16.9	0	0.0	0.0
24 - 59 Months	355	3.4	355	3.1	355	14.1	355	16.9	14.1
<b>Total</b>	<b>701</b>	<b>6.0</b>	<b>701</b>	<b>2.6</b>	<b>701</b>	<b>14.0</b>	<b>355</b>	<b>16.9</b>	<b>14.1</b>
<b>Hispanic</b>									
0 - 11 Months	644	10.2	644	1.6	644	11.2	0	0.0	0.0
12 - 23 Months	510	5.7	510	0.0	510	13.7	0	0.0	0.0
24 - 59 Months	1,036	2.9	1,036	1.9	1,036	17.7	1,036	19.1	17.7
<b>Total</b>	<b>2,190</b>	<b>5.7</b>	<b>2,190</b>	<b>1.4</b>	<b>2,190</b>	<b>14.8</b>	<b>1,036</b>	<b>19.1</b>	<b>17.7</b>
<b>American Indian/Alaska Native</b>									
0 - 11 Months	18	*	18	*	18	*	0	*	*
12 - 23 Months	20	*	20	*	20	*	0	*	*
24 - 59 Months	75	*	75	*	75	*	75	*	*
<b>Total</b>	<b>113</b>	<b>6.2</b>	<b>113</b>	<b>3.5</b>	<b>113</b>	<b>14.2</b>	<b>75</b>	<b>*</b>	<b>*</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 16C**  
**2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**  
**Growth Indicators by Race/Ethnicity and Age**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Growth Indicators by Race/Ethnicity and Age</b> <sup>(3)</sup>									
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)		
	Number	%	Number	%	Number	%	Number	% Overweight	% Obese
<b>Asian/Pacific Islander</b>									
0 - 11 Months	164	12.8	164	1.2	164	10.4	0	0.0	0.0
12 - 23 Months	97	*	97	*	97	*	0	*	*
24 - 59 Months	182	4.4	182	3.8	182	11.5	182	11.0	11.5
<b>Total</b>	<b>443</b>	<b>7.9</b>	<b>443</b>	<b>2.0</b>	<b>443</b>	<b>10.4</b>	<b>182</b>	<b>11.0</b>	<b>11.5</b>
<b>Multiple Races</b>									
0 - 11 Months	131	9.9	131	0.8	131	3.8	0	0.0	0.0
12 - 23 Months	121	3.3	121	0.0	121	10.7	0	0.0	0.0
24 - 59 Months	186	4.3	186	1.6	186	12.9	186	16.7	12.9
<b>Total</b>	<b>438</b>	<b>5.7</b>	<b>438</b>	<b>0.9</b>	<b>438</b>	<b>9.6</b>	<b>186</b>	<b>16.7</b>	<b>12.9</b>
<b>All Other/Unknown</b>									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
<b>Total</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>	<b>*</b>
<b>Total All Race/Ethnic Groups</b>									
0 - 11 Months	5,661	11.7	5,661	2.0	5,661	8.1	0	0.0	0.0
12 - 23 Months	3,729	6.3	3,729	0.2	3,729	13.9	0	0.0	0.0
24 - 59 Months	8,249	3.8	8,249	2.3	8,249	14.6	8,249	16.9	14.6
<b>Total</b>	<b>17,639</b>	<b>6.9</b>	<b>17,639</b>	<b>1.8</b>	<b>17,639</b>	<b>12.4</b>	<b>8,249</b>	<b>16.9</b>	<b>14.6</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 17C**  
**2011 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged < 5 Years** (2)

Page: 25  
Run Date: 3 / 27 / 12

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number		Number		
<b>White, Not Hispanic</b>			<b>Asian/Pacific Islander</b>		
6 - 11 Months	781	19.0	6 - 11 Months	15	*
12 - 17 Months	1,110	17.2	12 - 17 Months	35	*
18 - 23 Months	1,340	13.1	18 - 23 Months	45	*
24 - 35 Months	1,751	12.3	24 - 35 Months	52	*
36 - 59 Months	3,027	9.2	36 - 59 Months	93	*
<b>Total</b>	<b>8,009</b>	<b>12.6</b>	<b>Total</b>	<b>240</b>	<b>13.3</b>
<b>Black, Not Hispanic</b>			<b>Multiple Races</b>		
6 - 11 Months	26	*	6 - 11 Months	15	*
12 - 17 Months	51	*	12 - 17 Months	52	*
18 - 23 Months	75	*	18 - 23 Months	51	*
24 - 35 Months	101	36.6	24 - 35 Months	57	*
36 - 59 Months	169	28.4	36 - 59 Months	83	*
<b>Total</b>	<b>422</b>	<b>35.3</b>	<b>Total</b>	<b>258</b>	<b>17.1</b>
<b>Hispanic</b>			<b>All Other/Unknown</b>		
6 - 11 Months	86	*	6 - 11 Months	0	*
12 - 17 Months	182	33.5	12 - 17 Months	0	*
18 - 23 Months	253	23.7	18 - 23 Months	0	*
24 - 35 Months	268	23.1	24 - 35 Months	0	*
36 - 59 Months	485	18.4	36 - 59 Months	0	*
<b>Total</b>	<b>1,274</b>	<b>23.5</b>	<b>Total</b>	<b>0</b>	<b>*</b>
<b>American Indian/Alaska Native</b>			<b>Total All Race/Ethnic Groups</b>		
6 - 11 Months	9	*	6 - 11 Months	932	21.1
12 - 17 Months	9	*	12 - 17 Months	1,439	20.5
18 - 23 Months	7	*	18 - 23 Months	1,771	15.4
24 - 35 Months	19	*	24 - 35 Months	2,248	14.9
36 - 59 Months	36	*	36 - 59 Months	3,893	11.4
<b>Total</b>	<b>80</b>	<b>*</b>	<b>Total</b>	<b>10,283</b>	<b>15.0</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 18C**  
**2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**

**Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity</b> <sup>(3)</sup>													
Race/Ethnicity and Year		Birthweight <sup>(4)</sup>			Height and Weight <sup>(5,6)</sup>							Anemia Low Hb/Hct <sup>(7)</sup>	
		Low		High	Short Stature		Under- weight	Obese	≥ 2 Yrs Overweight and Obese				
		Number	%	%	Number	%	%	%	Number	%	%		
		<2500 g	>4000 g					Overweight	Obese				
White, Not Hispanic	2011	0	*	*	13,754	7.1	1.8	12.0	6,415	16.8	14.2	8,009	12.6
	2010	0	*	*	14,702	6.3	2.1	12.1	6,926	17.6	14.0	8,480	12.3
	2009	3,095	8.1	10.6	15,763	6.4	2.0	12.3	7,384	18.1	14.2	9,459	12.1
	2008	3,610	7.1	10.0	15,056	6.5	1.9	13.5	7,001	17.9	15.5	8,859	11.3
	2007	3,567	7.8	10.5	13,839	6.8	2.0	13.9	6,437	18.0	15.8	8,322	12.0
	2006	3,269	7.8	9.2	13,572	6.8	2.3	14.2	6,322	18.6	16.0	8,108	12.9
	2005	3,477	8.1	10.4	10,785	6.2	2.8	12.9	4,643	18.1	15.0	7,478	10.1
	2004	3,767	7.5	10.0	14,150	7.9	2.1	15.6	6,352	19.5	16.2	9,516	11.0
	2003	3,613	7.9	11.1	14,054	7.3	2.3	14.8	6,396	19.5	15.4	9,227	13.5
	2002	3,247	7.6	10.4	13,065	7.9	2.4	15.0	6,079	17.9	14.9	7,986	15.1
Black, Not Hispanic	2011	0	*	*	701	6.0	2.6	14.0	355	16.9	14.1	422	35.3
	2010	0	*	*	679	4.7	2.5	15.5	353	13.0	15.0	394	25.1
	2009	115	8.7	9.6	726	4.5	2.6	15.3	380	15.0	15.5	447	32.0
	2008	158	7.0	10.1	755	5.7	2.8	16.2	385	16.9	15.3	443	30.5
	2007	132	7.6	7.6	729	6.0	2.3	15.2	384	14.8	15.4	478	29.5
	2006	118	12.7	11.0	747	6.2	3.3	13.1	372	11.8	12.9	466	27.9
	2005	155	11.6	6.5	630	6.0	1.9	14.6	300	17.7	11.3	481	22.5
	2004	147	6.8	5.4	765	8.6	2.5	15.0	395	17.7	15.9	559	21.8
	2003	114	6.1	9.6	591	5.2	3.7	15.7	293	16.0	17.1	433	23.6
	2002	117	11.1	8.5	525	6.5	3.4	17.1	238	15.1	12.2	346	20.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 18C**  
**2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**

**Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity</b> <sup>(3)</sup>													
Race/Ethnicity and Year		Birthweight <sup>(4)</sup>			Height and Weight <sup>(5,6)</sup>						Anemia Low Hb/Hct <sup>(7)</sup>		
		Low	High		Short Stature	Under- weight	Obese	≥ 2 Yrs Overweight and Obese					
		Number	% <2500 g	% >4000 g				Number	%	%			%
Hispanic	2011	0	*	*	2,190	5.7	1.4	14.8	1,036	19.1	17.7	1,274	23.5
	2010	0	*	*	2,057	5.2	1.9	13.7	907	17.0	16.0	1,089	18.8
	2009	501	10.0	7.4	2,022	7.0	1.7	15.4	788	18.1	17.0	1,102	20.4
	2008	478	7.9	6.7	1,579	6.5	1.5	14.6	443	15.8	18.5	817	15.8
	2007	481	7.3	8.7	1,165	6.7	2.5	14.3	255	19.2	18.8	568	24.3
	2006	481	8.5	7.9	706	8.2	3.4	13.7	173	12.1	19.7	264	21.2
	2005	301	9.0	10.6	1,049	6.0	3.1	17.3	443	18.3	20.3	773	10.7
	2004	259	6.6	11.2	1,153	5.1	2.6	18.2	498	20.1	18.5	855	10.1
	2003	263	5.7	8.7	1,041	4.6	3.2	15.8	445	21.3	18.7	691	12.0
	2002	207	4.3	13.5	843	5.7	2.0	21.2	377	21.0	21.0	542	11.3
American Indian/Alaska Native	2011	0	*	*	113	6.2	3.5	14.2	75	*	*	80	*
	2010	0	*	*	161	5.0	1.2	15.5	80	*	*	102	10.8
	2009	25	*	*	166	3.6	0.6	14.5	65	*	*	96	*
	2008	61	*	*	163	11.0	1.2	14.7	41	*	*	66	*
	2007	46	*	*	108	11.1	1.9	13.9	29	*	*	48	*
	2006	27	*	*	65	*	*	*	19	*	*	30	*
	2005	3	*	*	15	*	*	*	5	*	*	9	*
	2004	5	*	*	19	*	*	*	12	*	*	14	*
	2003	1	*	*	21	*	*	*	13	*	*	17	*
	2002	4	*	*	19	*	*	*	8	*	*	13	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 18C**  
**2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**

**Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity</b> <sup>(3)</sup>													
Race/Ethnicity and Year		Birthweight <sup>(4)</sup>			Height and Weight <sup>(5,6)</sup>							Anemia Low Hb/Hct <sup>(7)</sup>	
		Low	High		Short Stature	Under- weight	Obese	≥ 2 Yrs Overweight and Obese					
		Number	% <2500 g	% >4000 g				Number	%	%	%		
Asian/Pacific Islander	2011	0	*	*	443	7.9	2.0	10.4	182	11.0	11.5	240	13.3
	2010	0	*	*	378	6.9	4.5	6.9	180	8.9	10.0	217	17.5
	2009	75	*	*	383	8.1	1.6	9.4	193	14.5	9.8	243	11.1
	2008	73	*	*	321	6.5	1.9	6.9	139	20.1	6.5	200	12.0
	2007	71	*	*	284	5.6	1.1	10.6	114	11.4	13.2	172	10.5
	2006	71	*	*	253	10.7	2.4	9.1	82	*	*	159	7.5
	2005	77	*	*	186	9.7	2.2	8.1	54	*	*	112	3.6
	2004	68	*	*	222	8.6	3.6	11.7	91	*	*	146	8.2
	2003	47	*	*	181	9.4	2.8	9.4	80	*	*	122	14.8
	2002	46	*	*	150	9.3	4.0	8.7	57	*	*	84	*
Multiple Races	2011	0	*	*	438	5.7	0.9	9.6	186	16.7	12.9	258	17.1
	2010	0	*	*	436	5.3	1.6	14.0	175	17.7	13.7	233	18.0
	2009	112	10.7	10.7	375	6.9	2.4	12.0	147	15.0	11.6	211	17.5
	2008	77	*	*	264	6.4	0.4	12.1	73	*	*	147	13.6
	2007	94	*	*	199	8.5	5.0	12.1	35	*	*	89	*
	2006	73	*	*	128	9.4	3.9	17.2	32	*	*	53	*
	2005	59	*	*	182	7.7	3.8	11.5	78	*	*	135	8.9
	2004	0	*	*	0	*	*	*	0	*	*	0	*
	2003	0	*	*	0	*	*	*	0	*	*	0	*
	2002	0	*	*	0	*	*	*	0	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 18C**  
**2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**New Hampshire**

**Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity</b> <sup>(3)</sup>													
Race/Ethnicity and Year		Birthweight <sup>(4)</sup>			Height and Weight <sup>(5,6)</sup>						Anemia Low Hb/Hct <sup>(7)</sup>		
		Low	High		Short Stature	Under- weight	Obese	≥ 2 Yrs Overweight and Obese					
		Number	% <2500 g	% >4000 g				Number	%	%	%	Number	% Overweight
All Other/Unknown	2011	0	*	*	0	*	*	*	0	*	*	0	*
	2010	0	*	*	0	*	*	*	0	*	*	0	*
	2009	22	*	*	34	*	*	*	6	*	*	10	*
	2008	0	*	*	0	*	*	*	0	*	*	0	*
	2007	0	*	*	0	*	*	*	0	*	*	0	*
	2006	0	*	*	5	*	*	*	3	*	*	5	*
	2005	486	9.3	8.8	4,167	7.3	1.3	16.9	1,969	20.2	17.8	3,317	10.5
	2004	0	*	*	0	*	*	*	0	*	*	0	*
	2003	0	*	*	0	*	*	*	0	*	*	0	*
	2002	0	*	*	0	*	*	*	0	*	*	0	*
Total All Race/Ethnic Groups	2011	0	*	*	17,639	6.9	1.8	12.4	8,249	16.9	14.6	10,283	15.0
	2010	0	*	*	18,413	6.1	2.1	12.4	8,621	17.1	14.2	10,515	13.7
	2009	3,945	8.3	10.0	19,469	6.4	2.0	12.7	8,963	17.8	14.4	11,568	13.8
	2008	4,457	7.1	9.6	18,138	6.5	1.9	13.5	8,082	17.8	15.5	10,532	12.6
	2007	4,391	7.6	10.2	16,324	6.8	2.1	13.9	7,254	17.8	15.8	9,677	13.7
	2006	4,039	8.0	9.0	15,476	7.0	2.4	14.1	7,003	18.1	15.9	9,085	13.8
	2005	4,558	8.4	10.1	17,014	6.5	2.4	14.2	7,492	18.7	15.9	12,305	10.7
	2004	4,246	7.3	9.8	16,309	7.8	2.2	15.7	7,348	19.4	16.3	11,090	11.5
	2003	4,038	7.8	10.8	15,888	7.1	2.4	14.8	7,227	19.4	15.6	10,490	13.8
	2002	3,621	7.6	10.4	14,602	7.7	2.5	15.4	6,759	17.9	15.1	8,971	15.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 19C**  
**2011 Pediatric Nutrition Surveillance (1)**  
**New Hampshire**  
**Summary of Trends in Breastfeeding Indicators by Race/Ethnicity**  
**Children Aged < 5 Years (2)**

<b>Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)</b>							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2011	3,493	71.8	1,332	21.2	1,845	10.8
	2010	3,600	70.3	1,421	23.2	2,093	14.3
	2009	3,813	68.5	1,595	24.5	2,334	13.5
	2008	3,882	65.8	1,582	23.1	2,306	15.4
	2007	3,768	63.6	1,386	22.8	1,998	13.2
	2006	3,693	63.2	1,568	21.5	2,071	13.4
	2005	3,566	59.1	1,909	19.2	1,465	16.2
	2004	3,823	59.0	2,631	19.9	1,921	11.8
	2003	3,682	57.5	2,584	18.2	1,841	8.5
	2002	3,302	58.3	2,155	18.4	1,605	7.7
Black, Not Hispanic	2011	144	79.2	60	*	97	*
	2010	141	84.4	59	*	104	21.2
	2009	147	79.6	63	*	105	36.2
	2008	167	75.4	62	*	106	27.4
	2007	158	79.7	68	*	93	*
	2006	153	84.3	74	*	123	27.6
	2005	177	73.4	114	43.0	73	*
	2004	152	75.0	118	51.7	99	*
	2003	117	73.5	100	28.0	98	*
	2002	119	69.7	73	*	66	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 19C**  
**2011 Pediatric Nutrition Surveillance (1)**  
**New Hampshire**  
**Summary of Trends in Breastfeeding Indicators by Race/Ethnicity**  
**Children Aged < 5 Years (2)**

Page: 31  
Run Date: 3 / 27 / 12

<b>Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)</b>							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2011	505	66.7	215	17.7	326	9.8
	2010	508	72.4	237	13.1	326	7.4
	2009	588	66.3	232	25.0	341	17.6
	2008	497	72.0	223	28.3	320	13.8
	2007	501	73.3	208	20.7	305	12.1
	2006	527	67.2	58	*	63	*
	2005	309	68.6	159	17.0	132	10.6
	2004	268	70.5	205	24.4	151	7.3
	2003	275	75.3	197	19.3	119	7.6
	2002	207	67.1	127	16.5	90	*
American Indian/Alaska Native	2011	4	*	14	*	12	*
	2010	27	*	15	*	17	*
	2009	36	*	23	*	37	*
	2008	65	*	25	*	31	*
	2007	49	*	17	*	21	*
	2006	36	*	6	*	5	*
	2005	3	*	5	*	3	*
	2004	5	*	0	*	1	*
	2003	1	*	1	*	4	*
	2002	4	*	2	*	3	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 19C**  
**2011 Pediatric Nutrition Surveillance (1)**  
**New Hampshire**  
**Summary of Trends in Breastfeeding Indicators by Race/Ethnicity**  
**Children Aged < 5 Years (2)**

<b>Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)</b>							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Asian/Pacific Islander	2011	137	79.6	39	*	48	*
	2010	81	*	43	*	61	*
	2009	93	*	25	*	53	*
	2008	82	*	41	*	59	*
	2007	79	*	32	*	50	*
	2006	87	*	37	*	42	*
	2005	83	*	47	*	29	*
	2004	68	*	37	*	31	*
	2003	48	*	31	*	24	*
	2002	48	*	31	*	23	*
Multiple Races	2011	110	70.9	42	*	88	*
	2010	130	68.5	53	*	84	*
	2009	129	65.9	35	*	43	*
	2008	78	*	42	*	54	*
	2007	98	*	25	*	37	*
	2006	83	*	15	*	13	*
	2005	59	*	28	*	26	*
	2004	0	*	0	*	0	*
	2003	0	*	0	*	0	*
	2002	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 19C**  
**2011 Pediatric Nutrition Surveillance (1)**  
**New Hampshire**  
**Summary of Trends in Breastfeeding Indicators by Race/Ethnicity**  
**Children Aged < 5 Years (2)**

<b>Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)</b>							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
All Other/Unknown	2011	0	*	0	*	0	*
	2010	0	*	0	*	0	*
	2009	24	*	3	*	4	*
	2008	0	*	0	*	0	*
	2007	0	*	0	*	0	*
	2006	0	*	0	*	0	*
	2005	488	59.0	693	20.1	464	12.3
	2004	0	*	0	*	0	*
	2003	0	*	0	*	0	*
	2002	0	*	0	*	0	*
Total All Race/Ethnic Groups	2011	4,393	71.7	1,702	22.0	2,416	11.2
	2010	4,487	71.1	1,828	22.7	2,685	14.2
	2009	4,830	68.8	1,976	26.0	2,917	15.4
	2008	4,771	67.0	1,975	24.6	2,876	15.9
	2007	4,653	65.4	1,736	23.7	2,504	14.1
	2006	4,579	64.6	1,758	22.8	2,317	14.7
	2005	4,685	60.5	2,955	20.3	2,192	15.2
	2004	4,316	60.3	2,991	21.5	2,203	12.5
	2003	4,123	59.2	2,913	18.7	2,086	8.5
	2002	3,680	59.3	2,388	19.0	1,787	7.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 20C**  
**2011 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**  
**Summary of Trends in Growth Indicators by Age**  
**Children Aged < 5 Years** (2)

<b>Summary of Trends in Growth Indicators by Age</b> (3)																		
Age and Year *	Height and Weight (4,5)									Age and Year *	Height and Weight (4,5)							
	Short Stature		Under- weight		Obese		≥ 2 Yrs Overweight and Obese				Short Stature		Under- weight		Obese		≥ 2 Yrs Overweight and Obese	
	Number	%	%	%	Number	%	%	%			Number	%	%	%	Number	%	%	%
								Overweight Obese										Overweight Obese
<b>0 - 11 Months</b>									<b>24 - 35 Months</b>									
2011	5,661	11.7	2.0	8.1	0	*	*		2011	2,924	4.2	2.4	11.7	2,924	16.9	11.7		
2010	5,777	9.8	2.8	8.0	0	*	*		2010	3,223	4.2	3.2	11.6	3,223	16.2	11.6		
2009	6,225	10.4	2.4	9.3	0	*	*		2009	3,452	4.6	2.5	12.9	3,452	16.8	12.9		
2008	5,842	9.6	2.3	9.4	0	*	*		2008	3,194	5.2	2.6	14.0	3,194	16.4	14.0		
2007	5,163	9.6	2.9	10.3	0	*	*		2007	2,778	4.9	2.6	14.5	2,778	16.7	14.5		
2006	4,968	10.3	3.5	10.9	0	*	*		2006	2,582	4.1	2.7	14.2	2,582	17.1	14.2		
2005	6,237	8.0	3.7	10.9	0	*	*		2005	2,842	5.7	2.1	14.0	2,842	17.7	14.0		
2004	5,854	9.9	2.8	14.2	0	*	*		2004	2,732	6.5	2.4	15.0	2,732	18.7	15.0		
2003	5,567	9.4	3.1	12.8	0	*	*		2003	2,646	4.1	3.2	15.3	2,646	17.6	15.3		
2002	5,004	11.0	3.0	13.7	0	*	*		2002	2,496	5.7	3.3	14.5	2,496	17.5	14.5		
<b>12 - 23 Months</b>									<b>36 - 47 Months</b>									
2011	3,729	6.3	0.2	13.9	0	*	*		2011	2,785	3.8	2.7	16.0	2,785	15.9	16.0		
2010	4,015	5.6	0.3	14.8	0	*	*		2010	2,982	3.8	2.3	15.6	2,982	17.0	15.6		
2009	4,281	5.3	0.3	14.0	0	*	*		2009	2,959	3.6	2.1	15.2	2,959	18.0	15.2		
2008	4,214	6.1	0.3	15.5	0	*	*		2008	2,673	4.1	2.8	16.8	2,673	18.7	16.8		
2007	3,907	6.6	0.2	15.3	0	*	*		2007	2,401	4.9	2.6	16.6	2,401	18.8	16.6		
2006	3,505	6.5	0.5	15.0	0	*	*		2006	2,402	5.3	2.4	17.4	2,402	19.1	17.4		
2005	3,285	6.4	0.2	16.3	0	*	*		2005	2,592	5.0	2.3	17.7	2,592	18.8	17.7		
2004	3,107	8.4	0.3	17.3	0	*	*		2004	2,462	6.0	2.4	17.3	2,462	20.2	17.3		
2003	3,094	8.2	0.4	16.6	0	*	*		2003	2,527	5.6	2.5	15.8	2,527	20.7	15.8		
2002	2,839	7.1	0.7	19.0	0	*	*		2002	2,246	6.4	2.8	15.0	2,246	16.5	15.0		

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 20C**  
**2011 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**  
**Summary of Trends in Growth Indicators by Age**  
**Children Aged < 5 Years** (2)

<b>Summary of Trends in Growth Indicators by Age</b> (3)															
Age and Year *	Height and Weight (4,5)								Height and Weight (4,5)						
	Short Stature		Under- Obese weight			≥ 2 Yrs Overweight and Obese			Short Stature		Under- Obese weight			≥ 2 Yrs Overweight and Obese	
	Number	%	%	%	Number	%	%		Number	%	%	%	Number	%	%
					Overweight	Obese		Overweight	Obese						
<b>48 - 59 Months</b>															
2011	2,540	3.3	1.9	16.5	2,540	18.1	16.5								
2010	2,416	3.3	2.0	16.0	2,416	18.4	16.0								
2009	2,552	4.3	2.7	15.5	2,552	18.8	15.5								
2008	2,215	3.7	1.9	16.2	2,215	18.9	16.2								
2007	2,075	4.8	2.5	16.8	2,075	18.1	16.8								
2006	2,019	5.3	2.9	16.1	2,019	18.3	16.1								
2005	2,058	5.1	2.4	16.3	2,058	20.0	16.3								
2004	2,154	4.6	2.6	16.6	2,154	19.5	16.6								
2003	2,054	4.7	2.4	15.7	2,054	20.2	15.7								
2002	2,017	4.4	2.2	16.1	2,017	20.1	16.1								
<b>Total All Age Groups</b>															
2011	17,639	6.9	1.8	12.4	8,249	16.9	14.6								
2010	18,413	6.1	2.1	12.4	8,621	17.1	14.2								
2009	19,469	6.4	2.0	12.7	8,963	17.8	14.4								
2008	18,138	6.5	1.9	13.5	8,082	17.8	15.5								
2007	16,324	6.8	2.1	13.9	7,254	17.8	15.8								
2006	15,476	7.0	2.4	14.1	7,003	18.1	15.9								
2005	17,014	6.5	2.4	14.2	7,492	18.7	15.9								
2004	16,309	7.8	2.2	15.7	7,348	19.4	16.3								
2003	15,888	7.1	2.4	14.8	7,227	19.4	15.6								
2002	14,602	7.7	2.5	15.4	6,759	17.9	15.1								

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 21C**  
**2011 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**  
**Summary of Trends in Anemia by Age**  
**Children Aged < 5 Years** (2)

Page: 36  
Run Date: 3 / 27 / 12

<b>Summary of Trends in Anemia by Age</b> (3)							
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
<b>6 - 11 Months</b>				<b>18 - 23 Months</b>			
	2011	932	21.1		2011	1,771	15.4
	2010	959	19.4		2010	1,757	12.8
	2009	1,111	20.1		2009	1,967	14.3
	2008	1,020	14.4		2008	1,633	12.7
	2007	1,077	19.8		2007	1,550	14.4
	2006	1,224	18.9		2006	1,282	14.0
	2005	1,998	16.9		2005	1,552	10.2
	2004	1,529	16.4		2004	1,280	12.1
	2003	1,530	18.0		2003	1,267	15.3
	2002	1,269	20.8		2002	1,102	16.3
<b>12 - 17 Months</b>				<b>24 - 35 Months</b>			
	2011	1,439	20.5		2011	2,248	14.9
	2010	1,580	17.6		2010	2,413	15.5
	2009	1,813	17.7		2009	2,581	13.6
	2008	1,743	16.9		2008	2,540	12.5
	2007	1,688	17.6		2007	2,162	12.4
	2006	1,581	17.8		2006	1,931	14.4
	2005	1,808	12.5		2005	2,735	10.7
	2004	1,698	16.5		2004	2,529	11.3
	2003	1,664	19.0		2003	2,398	14.1
	2002	1,390	17.7		2002	2,046	16.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 21C**  
**2011 Pediatric Nutrition Surveillance** (1)  
**New Hampshire**  
**Summary of Trends in Anemia by Age**  
**Children Aged < 5 Years** (2)

<b>Summary of Trends in Anemia by Age</b> (3)							
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
<b>36 - 59 Months</b>				<b>Total All Age Groups</b>			
	2011	3,893	11.4		2011	10,283	15.0
	2010	3,806	9.9		2010	10,515	13.7
	2009	4,096	10.2		2009	11,568	13.8
	2008	3,596	9.9		2008	10,532	12.6
	2007	3,200	10.2		2007	9,677	13.7
	2006	3,067	9.4		2006	9,085	13.8
	2005	4,212	7.1		2005	12,305	10.7
	2004	4,054	7.4		2004	11,090	11.5
	2003	3,631	9.0		2003	10,490	13.8
	2002	3,164	10.2		2002	8,971	15.0
<b>All Other/Unknown</b>							
	2011	0	*				
	2010	0	*				
	2009	0	*				
	2008	0	*				
	2007	0	*				
	2006	0	*				
	2005	0	*				
	2004	0	*				
	2003	0	*				
	2002	0	*				

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

