YOU CALL THE SHOES

Shoulder injuries related to vaccine administration Improper vaccine administration could result in shoulder injuries such as shoulder bursitis and tendinitis.

Make sure vaccination is safe.

KNOW THE SITE. GET IT RIGHT!


When administering vaccine by an intramuscular (IM) injection to an adult:



Use the correct syringe and needle

- » Vaccine may be administered using either a 1-mL or 3-mL syringe
- » Use a 22 to 25 gauge needle
- » Use the correct needle size based on your patient's size

Injection site: Deltoid muscle of upper arm




*Some experts recommend a 5/8-inch needle for men and women who weigh less than 60 kg (130 lbs).



Identify the injection site


- » Locate the deltoid muscle of the upper arm
- » Use anatomical landmarks to determine the injection site
- » In adults, the midpoint of the deltoid is about 2 inches (or 2 to 3 fingers' breadth) below the acromion process (bony prominence) and above the armpit in the middle of the upper arm





Administer the vaccine correctly

- » Inject the vaccine into the middle and thickest part of the deltoid muscle
- » Insert the needle at a 90° angle and inject all of the vaccine into the muscle tissue





Always follow safe injection practices

- » Maintain aseptic technique
- » Perform hand hygiene before preparing and administering vaccines
- » Use a new needle and new syringe for each injection
- » If using a single-dose vial (SDV) discard after use

A SDV should be used for one patient only!



IM injection best practices

- » Administering the injection too high on the upper arm may cause shoulder injury
- » If administering additional vaccines into the same arm, separate the injection sites by 1 inch if possible

Report any clinically significant adverse event after vaccination to the Vaccine Adverse Event Reporting System (VAERS) at vaers.hhs.gov/

For additional information on proper vaccine administration, visit the CDC vaccine administration web page at www.cdc.gov/vaccines/hcp/admin/admin-protocols.html



U.S. Department of Health and Human Services Centers for Disease Control and Prevention