



New Hampshire Infectious Disease Surveillance Section 5 Year STI/HIV Data Summary Report 2016-2020



Data Notes:

All Data in this report are based upon information provided to the New Hampshire Department of Health and Human Services under specific legislative authority. The numbers may represent an underestimate of the true absolute number and incidence rate of cases in the state. Any release of personal identifying information is conditioned upon such information remaining confidential. The unauthorized disclosure of any confidential medical or scientific data is a misdemeanor under New Hampshire law. The department is not responsible for any duplication or misrepresentation of surveillance data released in accordance with this guideline. Population data used in this report come from the most recently available U.S. Census Bureau population estimates. Data in this report are complete as of September 15, 2021.

- 1: Case rate per 100,000 persons. Case rates calculated for events <20 are considered statistically unreliable and should be interpreted with caution. The Infectious Disease Surveillance Section restricts the release of calculated rate data to cell sizes >5 cases.
 2. Full 2020 census data was not available at the time this report was compiled. 2020 rate estimates were thus computed using 2019 census data. This report will be updated once full 2020 census data becomes available.
 - 2: Black/African American race category includes Black persons, African American persons, and persons of African descent. Other/Unknown race category includes multi-racial. For HIV/AIDS data, Other/Unknown race category also includes persons of Hispanic ethnicity.
 - 3: Hispanic ethnicity may be of any race.
 - 4: NC= Not Calculated. As most STI cases have an unknown HIV status, data regarding HIV co-infection is considered incomplete. Rates are not presented due to incomplete data.
 - 5: PLWHA= People living with HIV/AIDS.
 - 6: County and city data is based upon residence at time of disease diagnosis.
 - 7: Infectious syphilis includes cases diagnosed during the primary, secondary, and early non-primary non-secondary stages of syphilis infection in accordance with the CDC case definition. It excludes congenital syphilis and cases of unknown duration or diagnosed during late stage infection.
 - 8: MSM= Male-to-male sexual contact. IDU = Injection drug use. Perinatal= Mother with or at risk for HIV. NRR= No reported risk. NIR= No identified risk. Heterosexual Contact=Specific heterosexual contact with a person known either to have or to be at high risk for HIV infection.
 - 9: Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis.
 - 10: Indicates a new diagnosis of AIDS in the specified year, regardless of when diagnosed with HIV.
- Data sources: Patient Reporting Investigating Surveillance Manager (PRISM), enhanced HIV AIDS Reporting System (eHARS), and Environmental Systems Research Institute (ESRI) ArcMap.

Report Contributors

Data Prepared by Mariko Geiger, MS, MPH, CIC
STI Epidemiologist
NH DHHS
Division of Public Health Services
Bureau of Infectious Disease Control
29 Hazen Drive
Concord, NH 03301-6504
Email: mariko.a.geiger@dhhs.nh.gov

GIS Maps Provided by Tylor Young
GIS Senior Management Analyst
NH DHHS
Division of Public Health Services
Bureau of Infectious Disease Control
29 Hazen Drive
Concord, NH 03301-6504
Email: tylor.young@dhhs.nh.gov

Data Summary by Hannah Bowen, MPH
HIV/STI/VH Surveillance Program Manager
NH DHHS
Division of Public Health Services
Bureau of Infectious Disease Control
29 Hazen Drive
Concord, NH 03301-6504
Email: hannah.w.bowen@dhhs.nh.gov

New Hampshire Infectious Disease Surveillance Section
STI/HIV Summary Report: Highlights
2016-2020

Context: COVID-19 Pandemic

1. In response to the COVID-19 pandemic, many state and local health resources were reassigned to support COVID-19 containment and mitigation.
2. The impact of pandemic-driven changes in patterns of healthcare access and seeking, sexual and other behavior, and disease reporting is not fully understood. Thus, 2020 data must be interpreted with caution and may not be comparable to prior years'.

Chlamydia

1. Chlamydia case counts decreased in 2020 compared to prior years.
2. Persons under age 30 and persons of Black or African American race represent the populations most affected.
3. Highest rates of disease have historically been found in southern NH, but rates have been more widely dispersed since 2018.

Gonorrhea

1. Outbreak status was declared in 2016 and peaked in 2018. Following a decrease in 2019, overall incidence increased once again in 2020.
2. Persons aged 20-39 years; Black or African American persons or persons of African descent; and men of any age are most commonly diagnosed.
3. Hillsborough County, specifically City of Manchester, bears the highest burden of disease.

Infectious Syphilis⁷ (Primary, Secondary, and Early Non-Primary Non-Secondary)

1. Outbreak status was declared in 2017 and peaked in 2018. While infectious syphilis overall decreased in 2020, a slight increase in primary and secondary syphilis was observed.
2. Gay and bisexual men and other men who reported male sex partners, as well as men living with HIV, remain the populations most affected.
3. NH reported 1 case of congenital syphilis in 2018 and 2 cases in 2019. Any case of congenital syphilis indicates missed opportunities for prevention, testing, and treatment. Zero cases of congenital syphilis were reported in NH in 2020.

Human Immunodeficiency Virus Infection (HIV)

1. The number of persons per year newly diagnosed with HIV in NH remains relatively stable.
2. Gay and bisexual men and other men who reported male sex partners remain the population most affected by HIV.

Acquired Immunodeficiency Syndrome (AIDS)


1. The number of persons per year newly diagnosed with AIDS in NH decreased in 2019-2020 compared to prior years.
2. From 2016-2020, 25% of persons newly diagnosed with HIV received a concurrent diagnosis of AIDS (i.e., AIDS diagnosis within 12 months of initial HIV diagnosis). Concurrent diagnosis indicates missed opportunities for prevention, testing, and treatment.

Resources


1. CDC/NCHHSTP Atlas: <http://gis.cdc.gov/GRASP/NCHHSTPAtlas/main.html>
2. CDC HIV Surveillance: <http://www.cdc.gov/hiv/default.html>
3. NH DPHS, STD/HIV Publications: <http://www.dhhs.nh.gov/dphs/bchs/std/publications.htm>

New Hampshire Infectious Disease Surveillance Section
 STI/HIV Summary Report: Chlamydia
 2016-2020

YEAR	2016		2017		2018		2019		2020	
	Cases	Rate ¹	Cases	Rate ¹	Cases	Rate ¹	Cases	Rate ¹	Cases	Rate ¹
TOTAL	4051	301.8	3689	273.5	3640	268.9	3635	267.3	2893	212.8
SEX	Cases[#]	Rate¹	Cases[#]	Rate¹	Cases[#]	Rate¹	Cases[#]	Rate¹	Cases[#]	Rate¹
Male	1328	199.8	1258	188.4	1239	184.7	1325	196.6	1010	149.9
Female	2721	401.5	2430	356.8	2400	351.5	2309	336.6	1870	272.6
AGE-SPECIFIC	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹
0-12	0	0.0	1	*	1	*	0.0	0.0	7	4.0
13-19	963	815.8	899	770.1	842	731.4	871	765.0	620	544.6
20-24	1790	1945.4	1630	1792.1	1583	1774.9	1489	1693.9	1210	1376.5
25-29	719	878.6	628	744.8	663	771.6	654	748.3	545	623.6
30-34	290	364.1	261	320.2	273	328.6	283	331.3	248	290.3
35-39	142	186.8	129	165.3	129	161.4	183	224.8	128	157.3
40-44	57	73.5	56	74.5	61	81.5	60	79.9	63	83.9
45-49	42	44.4	35	37.8	34	37.9	44	51.0	35	40.6
50-54	19	17.7	27	26.0	34	33.9	26	26.8	15	15.5
55-59	19	17.1	17	15.3	15	13.5	17	15.4	13	11.8
60+	10	3.1	6	1.8	5	1.4	8	2.2	9	2.5
RACE²	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹
White	2712	216.0	2419	192.0	2427	192.3	2406	190.0	1677	132.5
Black/African Am.	163	762.4	168	753.6	183	784.1	189	775.5	131	537.5
Asian/Pacific Isl.	37	94.2	58	145.3	50	123.6	70	170.8	34	83.0
Amlnd/AlaskNat	7	180.3	5	126.1	8	196.7	6	145.8	9	218.8
Other/Unknown	1132	5060.1	1039	4515.2	972	4122.7	964	3990.6	1042	4313.4
ETHNICITY	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹
Hispanic ³	165	345.4	172	342.1	213	405.8	211	386.5	180	329.7
HIV STATUS⁴	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹
PLWHA ⁵	19	NC	28	NC	28	NC	36	NC	25	NC
COUNTY/CITY⁶	Cases[^]	Rate¹	Cases[^]	Rate¹	Cases[^]	Rate¹	Cases[^]	Rate¹	Cases[^]	Rate¹
Belknap	169	278.2	127	208.6	139	227.3	113	184.3	102	166.4
Carroll	93	195.8	80	166.2	76	155.9	79	161.5	67	137.0
Cheshire	211	277.7	184	242.2	180	237.2	225	295.7	132	173.5
Coos	60	188.0	64	203.8	103	327.1	69	218.6	56	177.4
Grafton	251	278.9	266	296.0	229	255.3	239	265.9	170	189.1
Hillsborough	1458	354.5	1282	310.3	1332	321.3	1337	320.6	1117	267.8
Manchester	700	635.0	621	561.5	641	574.1	620	555.3	518	463.9
Nashua	288	330.0	277	316.1	297	335.2	311	351.0	276	311.5
Merrimack	426	285.8	380	253.6	339	225.0	330	218.0	302	199.5
Rockingham	773	254.0	722	235.4	675	219.0	666	215.0	530	171.1
Strafford	497	387.3	488	375.8	486	374.4	471	360.6	363	277.9
Sullivan	109	253.0	91	211.5	81	187.9	104	241.0	53	122.8



Chlamydia - Hillsborough County, 2016-2020





[#]Cases excluded due to unknown sex assigned at birth in 2016 (2), 2017 (1), 2018 (1), 2019 (1), and 2020 (13)

[^]Cases excluded due to unknown county in 2016 (3), 2017 (5), 2019 (1), and 2020 (1).

New Hampshire Infectious Disease Surveillance Section
 STI/HIV Summary Report: Gonorrhea
 2016-2020

YEAR	2016		2017		2018		2019		2020	
	Cases	Rate ¹	Cases	Rate ¹	Cases	Rate ¹	Cases	Rate ¹	Cases	Rate ¹
TOTAL	467	34.8	521	38.6	611	45.1	415	30.5	452	33.2
SEX	Cases[#]	Rate¹	Cases[#]	Rate¹	Cases[#]	Rate¹	Cases[#]	Rate¹	Cases[#]	Rate¹
Male	333	50.1	333	49.9	423	63.1	279	41.4	315	46.8
Female	134	19.8	188	27.6	188	27.5	136	19.8	136	19.8
AGE-SPECIFIC	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹
0-12	1	*	0	0.0	2	*	0	0.0	0	0.0
13-19	48	40.7	42	36.0	53	46.0	37	32.5	51	44.8
20-24	105	114.1	111	122.0	156	174.9	98	111.5	93	105.8
25-29	92	112.4	116	137.6	119	138.5	93	106.4	91	104.1
30-34	70	87.9	65	79.7	95	114.3	71	83.1	74	86.6
35-39	42	55.2	65	83.3	61	76.3	40	49.1	48	59.0
40-44	26	33.5	32	42.6	30	40.1	22	29.3	37	49.3
45-49	29	30.6	31	33.5	32	35.6	16	18.6	19	22.0
50-54	25	23.4	26	25.1	31	30.9	20	20.6	14	14.4
55-59	19	17.1	16	14.4	14	12.6	9	8.2	12	10.9
60+	10	3.1	17	5.1	18	5.2	9	2.5	13	3.6
RACE²	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹
White	341	27.2	374	29.7	466	36.9	276	21.8	292	23.1
Black/African Am.	24	112.3	36	161.5	48	205.7	42	172.3	44	180.5
Asian/Pacific Isl.	4	*	16	40.1	13	32.1	7	17.1	6	14.6
Amlnd/AlaskNat	1	*	1	*	0	0.0	1	*	2	*
Other/Unknown	97	433.6	94	408.5	84	356.3	89	368.4	108	447.1
ETHNICITY	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹
Hispanic ³	25	52.3	27	53.7	45	85.7	27	49.5	45	82.4
HIV STATUS⁴	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹
PLWHA ⁵	31	NC	29	NC	44	NC	34	NC	33	NC
COUNTY/CITY⁶	Cases[*]	Rate¹	Cases[*]	Rate¹	Cases[*]	Rate¹	Cases[*]	Rate¹	Cases[*]	Rate¹
Belknap	12	19.8	45	73.9	16	26.2	12	19.6	10	16.3
Carroll	1	*	3	*	9	18.5	8	16.4	5	10.2
Cheshire	19	25.0	16	21.1	21	27.7	17	22.3	20	26.3
Coos	7	21.9	5	15.9	1	*	5	15.8	4	*
Grafton	19	21.1	23	25.6	27	30.1	22	24.5	18	20.0
Hillsborough	251	61.0	236	57.1	310	74.8	200	48.0	240	57.6
Manchester	172	156.0	136	123.0	202	180.9	120	107.5	145	129.9
Nashua	33	37.8	46	52.5	50	56.4	38	42.9	38	42.9
Merrimack	48	32.2	60	40.0	60	39.8	22	14.5	33	21.8
Rockingham	68	22.3	87	28.4	90	29.2	70	22.6	82	26.5
Strafford	34	26.5	41	31.6	68	52.4	57	43.6	36	27.6
Sullivan	8	18.6	5	11.6	9	20.9	2	*	3	*




[#]Cases excluded due to unknown sex assigned at birth in 2020 (1)

[^]Cases excluded due to unknown county in 2020 (1)


New Hampshire Infectious Disease Surveillance Section
STI/HIV Summary Report: Infectious Syphilis
2016-2020

YEAR	2016		2017		2018		2019		2020	
	Cases	Rate ¹	Cases	Rate ¹	Cases	Rate ¹	Cases	Rate ¹	Cases	Rate ¹
TOTAL	73	5.4	79	5.9	105	7.8	96	7.1	83	6.1
SEX	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹
Male	67	10.1	71	10.6	99	14.8	88	13.1	71	10.5
Female	6	0.9	8	1.2	6	0.9	8	1.2	12	1.7
AGE-SPECIFIC	Cases[#]	Rate¹	Cases[#]	Rate¹	Cases[#]	Rate¹	Cases[#]	Rate¹	Cases[#]	Rate¹
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	*	1	*	6	5.2	2	*	2	*
20-24	7	7.6	10	11.0	19	21.3	7	8.0	8	9.1
25-29	10	12.2	18	21.3	19	22.1	24	27.5	21	24.0
30-34	17	21.3	18	22.1	15	18.1	18	21.1	17	19.9
35-39	12	15.8	13	16.7	14	17.5	10	12.3	7	8.6
40-44	3	*	6	8.0	5	6.7	6	8.0	9	12.0
45-49	11	11.6	4	*	11	12.3	6	7.0	3	*
50-54	8	7.5	2	*	8	8.0	11	11.3	4	*
55-59	3	*	3	*	3	*	7	6.3	7	6.3
60+	1	*	4	*	5	1.4	5	1.4	5	1.4
RACE²	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹
White	64	5.1	60	4.8	76	6.0	63	5.0	56	4.4
Black/African Am.	1	*	3	*	7	30.0	6	24.6	4	*
Asian/Pacific Isl.	0	0.0	1	*	2	*	2	*	1	*
AmInd/AlaskNat	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other/Unknown	8	35.8	15	65.2	20	84.8	25	103.5	22	91.1
ETHNICITY	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹
Hispanic ³	4	*	4	8.0	13	24.8	9	16.5	5	9.2
HIV STATUS⁴	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹
PLWHA ⁵	26	NC	21	NC	38	NC	19	NC	20	NC
COUNTY/CITY⁶	Cases[^]	Rate¹	Cases[^]	Rate¹	Cases[^]	Rate¹	Cases[^]	Rate¹	Cases[^]	Rate¹
Belknap	0	0.0	0	0.0	4	*	4	*	1	*
Carroll	0	0.0	0	0.0	2	*	3	*	0	0.0
Cheshire	1	*	4	*	4	*	5	6.6	4	*
Coos	3	*	1	*	1	*	0	0.0	1	*
Grafton	5	5.6	2	*	0	0.0	5	5.6	4	*
Hillsborough	29	7.1	31	7.5	48	11.6	39	9.4	36	8.6
Manchester	17	15.4	21	19.0	26	23.3	25	22.4	20	17.9
Nashua	7	8.0	6	6.8	12	13.5	9	10.2	13	14.7
Merrimack	6	4.0	8	5.3	7	4.6	8	5.3	7	4.6
Rockingham	16	5.3	17	5.5	20	6.5	23	7.4	13	4.2
Strafford	13	10.1	10	7.7	18	13.9	7	5.4	15	11.5
Sullivan	0	0.0	6	13.9	1	*	2	*	1	*

New Diagnoses of Primary and Secondary Syphilis⁷, 2016-2020



New Diagnoses of Infectious Syphilis⁷ by Identified Risk⁸ and HIV Status, 2016-2020




[#]Case excluded due to unknown age in 2015 (1)


New Hampshire Infectious Disease Surveillance Section
 STI/HIV Summary Report: HIV
 2016-2020

YEAR	2016		2017		2018		2019		2020	
	Cases	Rate ¹	Cases	Rate ¹	Cases	Rate ¹	Cases	Rate ¹	Cases	Rate ¹
TOTAL⁹	42	3.1	32	2.4	38	2.8	31	2.3	31	2.3
SEX	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹
Male	28	4.2	24	3.6	30	4.5	27	4.0	28	4.2
Female	14	2.1	8	1.2	8	1.2	4	*	3	*
AGE-SPECIFIC	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-24	5	5.4	7	7.7	3	*	1	*	6	6.8
25-29	6	7.3	3	*	7	8.1	12	13.7	6	6.9
30-34	6	7.5	4	*	7	8.4	6	7.0	8	9.4
35-39	4	*	6	7.7	2	*	3	*	2	*
40-44	5	6.5	1	*	7	9.4	0	0.0	0	0.0
45-49	6	6.3	3	*	7	7.8	1	*	3	*
50-54	7	6.5	4	*	3	*	1	*	2	*
55-59	1	*	2	*	1	*	6	5.4	3	*
60+	2	*	2	*	1	*	1	*	1	*
RACE²	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹
White	26	2.1	21	1.7	30	2.4	17	1.3	21	1.7
Black/African Am.	7	32.7	3	*	3	*	4	*	1	*
Asian/Pacific Isl.	1	*	0	0.0	1	*	4	*	3	*
AmInd/AlaskNat	0	0.0	0	0.0	0	0.0	1	*	0	0.0
Other/Unknown	8	35.8	8	34.8	4	*	5	20.7	6	24.8
ETHNICITY	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹
Hispanic ³	7	14.7	5	9.9	3	*	5	9.2	3	*
COUNTY/CITY⁵	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹
Belknap	0	0.0	0	0.0	1	*	0	0.0	0	0.0
Carroll	1	*	2	*	1	*	0	0.0	2	*
Cheshire	4	*	1	*	0	0.0	0	0.0	1	*
Coos	0	0.0	0	0.0	0	0.0	2	*	2	*
Grafton	2	*	1	*	0	0.0	4	*	3	*
Hillsborough	17	4.1	19	4.6	26	6.3	12	2.9	12	2.9
<i>Manchester</i>	11	10.0	10	9.0	18	16.1	5	4.5	4	*
<i>Nashua</i>	1	*	4	*	4	*	5	5.6	4	*
Merrimack	8	5.4	3	*	4	*	2	*	2	*
Rockingham	5	1.6	4	*	3	*	6	1.9	6	1.9
Strafford	4	*	2	*	3	*	1	*	2	*
Sullivan	1	*	0	0.0	0	0.0	4	*	1	*

HIV Incidence by Identified or Reported Risk⁸, 2016-2020



HIV Incidence by Identified or Reported Risk⁸ Including Injection Drug Use (IDU), 2016-2020



New Hampshire Infectious Disease Surveillance Section
 STI/HIV Summary Report: AIDS
 2016-2020

YEAR	2016		2017		2018		2019		2020	
	Cases	Rate ¹	Cases	Rate ¹	Cases	Rate ¹	Cases	Rate ¹	Cases	Rate ¹
TOTAL¹⁰	23	1.7	14	1.0	19	1.4	10	0.7	11	0.8
SEX	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹
Male	19	2.9	11	1.6	12	1.8	5	0.7	9	1.3
Female	4	*	3	*	7	1.0	5	0.7	2	*
AGE-SPECIFIC	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	*	0	0.0
20-24	0	0.0	2	*	1	*	0	*	0	0.0
25-29	3	*	0	0.0	3	*	2	*	0	0.0
30-34	2	*	0	0.0	2	*	0	0.0	1	*
35-39	3	*	1	*	1	*	2	*	2	*
40-44	1	*	2	*	3	*	1	*	0	0.0
45-49	8	8.4	4	*	4	*	2	*	4	*
50-54	3	*	1	*	3	*	0	0.0	1	*
55-59	3	*	3	*	1	*	1	*	2	*
60+	0	0.0	1	*	1	*	1	*	1	*
RACE²	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹
White	17	1.4	9	0.7	12	1.0	6	0.5	8	0.6
Black/African Am.	1	*	3	*	3	*	0	*	0	0.0
Asian/Pacific Isl.	1	*	0	*	1	*	0	*	2	*
AmInd/AlaskNat	0	*	0	*	0	*	0	*	0	0.0
Other/Unknown	4	*	2	*	3	*	4	*	1	*
ETHNICITY	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹
Hispanic ³	3	*	2	*	3	*	4	*	1	*
COUNTY/CITY⁶	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹	Cases	Rate¹
Belknap	0	0.0	1	*	1	*	0	0.0	1	*
Carroll	0	0.0	1	*	0	0.0	0	0.0	2	*
Cheshire	2	*	0	0.0	1	*	0	0.0	0	0.0
Coos	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Grafton	1	*	0	0.0	0	0.0	1	*	1	*
Hillsborough	12	2.9	7	1.7	12	2.9	5	1.2	2	*
<i>Manchester</i>	7	6.4	5	4.5	8	7.2	2	*	1	*
<i>Nashua</i>	3	*	2	*	3	*	3	*	1	*
Merrimack	1	*	1	*	1	*	0	0.0	1	*
Rockingham	6	2.0	4	*	3	*	3	*	2	*
Strafford	1	*	0	0.0	1	*	1	*	1	*
Sullivan	0	0.0	0	0.0	0	0.0	0	0.0	1	*

