

# Infant Oral Assessment: Assessing Function Beyond the Frenulum

## Bibliography

© Melissa Cole, MS, IBCLC

- Abbott, B. D. (1995). Review of the interaction between TCDD and glucocorticoids in embryonic palate. *Toxicology*, *105*(2-3), 365-373. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/8571373>
- Acevedo, A. C., da Fonseca, J. A., Grinham, J., Doudney, K., Gomes, R. R., de Paula, L. M., & Stanier, P. (2010). Autosomal-dominant ankyloglossia and tooth number anomalies. *Journal of dental research*, *89*(2), 128-132. doi:10.1177/0022034509356401
- Andreou, A. M., Pauws, E., Jones, M. C., Singh, M. K., Bussen, M., Doudney, K., Stanier, P. (2007). TBX22 missense mutations found in patients with X-linked cleft palate affect DNA binding, sumoylation, and transcriptional repression. *American journal of human genetics*, *81*(4), 700-712. doi:10.1086/521033
- Archer, K., Marrinan, E., Stearns, S., & Tatum, S. (2015). Uvular malformation in the presence of deformational plagiocephaly. *J Craniofac Surg*, *26*(3), 836-839. doi:10.1097/SCS.0000000000001572
- Arvedson, J. C., & Brodsky, L. (2002). *Pediatric swallowing and feeding: assessment and management* (2nd ed.). Australia; Albany, NY: Singular Thomson Learning.
- Baxter, R., Merkel-Walsh, R., Baxter, B. S., Lashley, A., & Rendell, N. R. (2020). Functional Improvements of Speech, Feeding, and Sleep After Lingual Frenectomy Tongue-Tie Release: A Prospective Cohort Study. *Clin Pediatr (Phila)*, *59*(9-10), 885-892. doi:10.1177/0009922820928055
- Beckman, D. (2013). *Beckman Oral Motor Assessment and Intervention*. Paper presented at the Beckman Oral Motor Assessment and Intervention, Seattle, Washington.
- Berry, J., Griffiths, M., & Westcott, C. (2012). A double-blind, randomized, controlled trial of tongue-tie division and its immediate effect on breastfeeding. *Breastfeeding medicine: the official journal of the Academy of Breastfeeding Medicine*, *7*(3), 189-193. doi:10.1089/bfm.2011.0030
- Bloomfield, V., & Liao, C. H. (2015). 113: Global Trends in the Rate of Cleft Lip and Palate: Bridging the Gap. *Paediatrics & child health*, *20*(5), e75-e75. doi:10.1093/pch/20.5.e75
- Brill, A., Torchinsky, A., Carp, H., & Toder, V. (1999). The role of apoptosis in normal and abnormal embryonic development. *J Assist Reprod Genet*, *16*(10), 512-519. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10575578>
- Byrne, E., & Garber, J. (2013). Physical therapy intervention in the neonatal intensive care unit. *Phys Occup Ther Pediatr*, *33*(1), 75-110.
- Cabrera-Martos, I., Valenza, M. C., Valenza-Demet, G., Benitez-Feliponi, A., Robles-Vizcaino, C., & Ruiz-Extremera, A. (2015). Impact of torticollis associated with plagiocephaly on infants' motor development. *J Craniofac Surg*, *26*(1), 151-156. doi:10.1097/SCS.0000000000001402
- Cabrera-Martos, I., Valenza, M. C., Valenza-Demet, G., Benitez-Feliponi, A., Robles-Vizcaino, C., & Ruiz-Extremera, A. (2016). Effects of manual therapy on treatment duration and motor development in infants with severe nonsynostotic plagiocephaly: a randomised controlled pilot study. *Childs Nerv Syst*, *32*(11), 2211-2217.
- Defabianis, P. (2000). Ankyloglossia and its influence on maxillary and mandibular development. (A seven year follow-up case report). *The Functional orthodontist*, *17*(4), 25-33. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11307269>
- Dollberg, S., & Botzer, E. (2011). [Neonatal tongue-tie: myths and science]. *Harefuah*, *150*(1), 46-49, 67. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/21449157>
- Dollberg, S., Botzer, E., Grunis, E., & Mimouni, F. B. (2006). Immediate nipple pain relief after frenotomy in breast-fed infants with ankyloglossia: a randomized, prospective study. *Journal of pediatric surgery*, *41*(9), 1598-1600. doi:10.1016/j.jpedsurg.2006.05.024
- Dollberg, S., Manor, Y., Makai, E., & Botzer, E. (2011). Evaluation of speech intelligibility in children with tongue-tie. *Acta paediatrica*, *100*(9), e125-127. doi:10.1111/j.1651-2227.2011.02265.x
- Fernando, C. (2007). Tongue Tie: From Confusion to Clarity. Retrieved from [http://www.tonguetie.net/index.php?option=com\\_content&task=view&id=3&Itemid=1](http://www.tonguetie.net/index.php?option=com_content&task=view&id=3&Itemid=1)

- Genna, C. W. (2008). *Supporting sucking skills in breastfeeding infants*. Sudbury, Mass.: Jones and Bartlett Publishers.
- Genna, C. W. (2015). Breastfeeding infants with congenital torticollis. *Journal of human lactation: official journal of International Lactation Consultant Association*, 31(2), 216-220. doi:10.1177/0890334414568315
- Ghaheeri, B. A., Cole, M., Fausel, S. C., Chuop, M., & Mace, J. C. (2016). Breastfeeding improvement following tongue-tie and lip-tie release: A prospective cohort study. *The Laryngoscope*, n/a-n/a. doi:10.1002/lary.26306
- Gorga, D. (1989). Occupational therapy treatment practices with infants in early intervention. *The American journal of occupational therapy: official publication of the American Occupational Therapy Association*, 43(11), 731-736.
- Gotlib, A., & Rupert, R. (2008). Chiropractic manipulation in pediatric health conditions--an updated systematic review. *Chiropr Osteopat*, 16, 11. doi:10.1186/1746-1340-16-11
- Gray, C. (2010). *Craniosacral Therapy for Infants*. Paper presented at the Craniosacral Therapy for Infants, Portland, Oregon.
- Haanen, C., & Vermes, I. (1996). Apoptosis: programmed cell death in fetal development. *European journal of obstetrics, gynecology, and reproductive biology*, 64(1), 129-133.
- Haggard, P., & de Boer, L. (2014). Oral somatosensory awareness. *Neuroscience & Biobehavioral Reviews*, 47, 469-484. doi:https://doi.org/10.1016/j.neubiorev.2014.09.015
- Hepper, P. G., Shahidullah, S., & White, R. (1991). Handedness in the human fetus. *Neuropsychologia*, 29(11), 1107-1111. doi:10.1016/0028-3932(91)90080-r
- Hepper, P. G., Wells, D. L., & Lynch, C. (2005). Prenatal thumb sucking is related to postnatal handedness. *Neuropsychologia*, 43(3), 313-315. doi:https://doi.org/10.1016/j.neuropsychologia.2004.08.009
- Jiang, R., Bush, J. O., & Lidral, A. C. (2006). Development of the upper lip: morphogenetic and molecular mechanisms. *Dev Dyn*, 235(5), 1152-1166. doi:10.1002/dvdy.20646
- Jin, S. W., Sim, K. B., & Kim, S. D. (2016). Development and Growth of the Normal Cranial Vault: An Embryologic Review. *J Korean Neurosurg Soc*, 59(3), 192-196. doi:10.3340/jkns.2016.59.3.192
- Kane, A. A., Mitchell, L. E., Craven, K. P., & Marsh, J. L. (1996). Observations on a recent increase in plagiocephaly without synostosis. *Pediatrics*, 97(6 Pt 1), 877-885. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/8657530>
- Kantaputra, P. N., Paramee, M., Kaewkhampa, A., Hoshino, A., Lees, M., McEntagart, M., Stanier, P. (2011). Cleft lip with cleft palate, ankyloglossia, and hypodontia are associated with TBX22 mutations. *Journal of dental research*, 90(4), 450-455. doi:10.1177/0022034510391052
- Klockars, T., & Pitkaranta, A. (2009). Pediatric tongue-tie division: indications, techniques and patient satisfaction. *International journal of pediatric otorhinolaryngology*, 73(10), 1399-1401. doi:10.1016/j.ijporl.2009.07.004
- Kupietzky, A., & Botzer, E. (2005). Ankyloglossia in the infant and young child: clinical suggestions for diagnosis and management. *Pediatric dentistry*, 27(1), 40-46. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/15839394>
- Kurjak, A., Stanojevic, M., Andonotopo, W., Salihagic-Kadic, A., Carrera, J. M., & Azumendi, G. (2004). Behavioral pattern continuity from prenatal to postnatal life--a study by four-dimensional (4D) ultrasonography. *J Perinat Med*, 32(4), 346-353. doi:10.1515/JPM.2004.065
- Lanzoni, M., Morris, J., Garne, E., Loane, M., & Kinsner-Ovaskainen, A. (2017). *European Monitoring of Congenital Anomalies*. Retrieved from
- Lau, C. (2016). Development of infant oral feeding skills: what do we know? *The American journal of clinical nutrition*, 103(2), 616S-621S. doi:10.3945/ajcn.115.109603
- Lau, C., & J. Schanler, R. (1996). *Oral Motor Function in the Neonate* (Vol. 23).
- Lee, K., Chung, E., Koh, S., & Lee, B. H. (2015). Outcomes of asymmetry in infants with congenital muscular torticollis. *J Phys Ther Sci*, 27(2), 461-464. doi:10.1589/jpts.27.461
- Martinelli, R. L. d. C., Marchesan, I. Q., & Berretin-Felix, G. (2018). Posterior lingual frenulum in infants: occurrence and maneuver for visual inspection. *Revista CEFAC*.

- Martinelli, R. L. d. C., Marchesan, I. Q., Gusmão, R. J., Rodrigues, A. d. C., & Berretin-Felix, G. (2014). Histological Characteristics of Altered Human Lingual Frenulum. *International Journal of Pediatrics and Child Health*, 2(1), 5-9. Retrieved from <http://savvysciencepublisher.com/downloads/ijpchv2n1a2/>
- Meenakshi, S., & Jagannathan, N. (2014). Assessment of lingual frenulum lengths in skeletal malocclusion. *J Clin Diagn Res*, 8(3), 202-204. doi:10.7860/JCDR/2014/7079.4162
- Messner, A. H., Walsh, J., Rosenfeld, R. M., Schwartz, S. R., Ishman, S. L., Baldassari, C., Satterfield, L. (2020). Clinical Consensus Statement: Ankyloglossia in Children. *Otolaryngol Head Neck Surg*, 162(5), 597-611. doi:10.1177/0194599820915457
- Moore, T. E. (2001). The M and M's of aloe vera--is it for dentistry? *J Okla Dent Assoc*, 91(3), 30-31, 36. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11314178>
- Nakhash, R., Wasserteil, N., Mimouni, F. B., Kasirer, Y. M., Hammerman, C., & Bin-Nun, A. (2019). Upper Lip Tie and Breastfeeding: A Systematic Review. *Breastfeeding medicine: the official journal of the Academy of Breastfeeding Medicine*, 14(2), 83-87. doi:10.1089/bfm.2018.0174
- Ngerncham, S., Laohapensang, M., Wongvisutdhi, T., Ritjaroen, Y., Painpichan, N., Hakularb, P., Chaturapitphothong, P. (2013). Lingual frenulum and effect on breastfeeding in Thai newborn infants. *Paediatr Int Child Health*, 33(2), 86-90. doi:10.1179/2046905512Y.0000000023
- Nyqvist, K. H., Sjoden, P. O., & Ewald, U. (1999). The development of preterm infants' breastfeeding behavior. *Early human development*, 55(3), 247-264. doi:10.1016/s0378-3782(99)00025-0
- Pados, B. F., PhD, RN, NNP-BC, Assistant Professor, Park, J., PhD, RN, Assistant Professor, Estrem, H., PhD, RN, Post-Doctoral Associate, & Awotwi, A., BSN, RN. (2016). Assessment Tools for Evaluation of Oral Feeding in Infants Less than Six Months Old. In.
- Palmer, M. (2013). *NOMAS Certification Course*. Paper presented at the NOMAS Certification Course, Walnut Creek, California.
- Palmer, M. M., Crawley, K., & Blanco, I. A. (1993). Neonatal Oral-Motor Assessment scale: a reliability study. *Journal of perinatology: official journal of the California Perinatal Association*, 13(1), 28-35. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/8445444>
- Pastor, J. (2020). Swallowing difficulties in children with developmental disorders may be due to misfiring brain cells. *Virginia Tech Daily*. Retrieved from [https://vtnews.vt.edu/articles/2020/09/swallowing-fralinbiomed-0831.html?utm\\_source=cmpgn\\_news&utm\\_medium=email&utm\\_campaign=vtUnirelNewsDailyPublicCMP\\_090220-public](https://vtnews.vt.edu/articles/2020/09/swallowing-fralinbiomed-0831.html?utm_source=cmpgn_news&utm_medium=email&utm_campaign=vtUnirelNewsDailyPublicCMP_090220-public)
- Peirsman, E. a. N. (2006). *Craniosacral Therapy for Babies and Small Children*. Berkeley, California: North Atlantic books.
- Quality, A. f. H. R. a. (2015). *Treatments for Ankyloglossia and Ankyloglossia With Concomitant Lip-Tie*. (164). Retrieved from <http://effectivehealthcare.ahrq.gov/>
- Reissland, N., Francis, B., Mason, J., & Lincoln, K. (2011). Do facial expressions develop before birth? *PloS one*, 6(8), e24081. doi:10.1371/journal.pone.0024081
- Reissland, N., Mason, C., Schaal, B., & Lincoln, K. (2012). Prenatal Mouth Movements: Can We Identify Co-Ordinated Fetal Mouth and LIP Actions Necessary for Feeding? *Int J Pediatr*, 2012, 848596. doi:10.1155/2012/848596
- Segal, L. M., Stephenson, R., Dawes, M., & Feldman, P. (2007). Prevalence, diagnosis, and treatment of ankyloglossia: methodologic review. *Canadian family physician Medecin de famille canadien*, 53(6), 1027-1033. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/17872781>
- Spelman, K. (2011). Ecological Pharmacy: Molecular Biology to Systems Theory. In *Fundamentals of Complementary and Alternative Medicine* (4th ed., pp. 454-475). St. Louis, Mo.: Saunders/Elsevier.
- Suter, V. G., & Bornstein, M. M. (2009). Ankyloglossia: facts and myths in diagnosis and treatment. *Journal of periodontology*, 80(8), 1204-1219. doi:10.1902/jop.2009.090086
- Tian, X., Yi, L.-J., Zhang, L., Zhou, J.-G., Ma, L., Ou, Y.-X., Song, G.-M. (2015). Oral Motor Intervention Improved the Oral Feeding in Preterm Infants: Evidence Based on a Meta-Analysis With Trial Sequential Analysis. *Medicine (Baltimore)*, 94(31), e1310. doi:10.1097/md.0000000000001310

- Walls, A., Pierce, M., Wang, H., Steehler, A., Steehler, M., & Harley Jr, E. H. (2014). Parental perception of speech and tongue mobility in three-year olds after neonatal frenotomy. *International journal of pediatric otorhinolaryngology*, 78(1), 128-131. doi:<http://dx.doi.org/10.1016/j.ijporl.2013.11.006>
- Walsh, J., & McKenna Benoit, M. (2019). Ankyloglossia and Other Oral Ties. *Otolaryngol Clin North Am*, 52(5), 795-811. doi:10.1016/j.otc.2019.06.008
- Walsh, J., & Tunkel, D. E. (2018). Tongue-tie and frenotomy: what evidence do we have and what do we need? *The Medical journal of Australia*, 208(2), 67-68. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/29385975>
- West, Z. (2008). *Acupuncture in Pregnancy and Childbirth* (2nd ed.). Edinburgh; New York: Churchill Livingstone/Elsevier.
- Wolf, L. S., & Glass, R. P. (1992). *Feeding and swallowing disorders in infancy: assessment and management*. Tucson, Ariz.: Therapy Skill Builders.